

# Safety

*Gloves*

*Safety Supply*

*Food Products*





# JACKSON SAFETY\* NEMESIS\* Safety Eyewear



High Performance by design. No other brand offers you the same comfort and flexibility as JACKSON SAFETY\* NEMESIS\* Safety Eyewear.

NEMESIS\* Eyewear features a patented bridge structure for glasses and nose pad. With a smaller nosepiece and wider bridge, you get a one-of-a-kind fit. Unsurpassed frame durability is just what you'd expect from a trusted leader in the industry recognized for high-quality, reliable eyewear.



## Exceptional Workplaces\*

®/™ Trademarks of Kimberly-Clark Worldwide, Inc. or its affiliates. Marques déposées de Kimberly-Clark Worldwide, Inc. ou de ses filiales. © 2012 KCWW. K02694 K3399-12-01





# Getting to Grips with Gloves

	<b>Glove Type</b> <b>Disposable/Single Use</b>	<b>Material</b> Vinyl, PVC, Latex, Nitrile	<b>Uses</b> Small parts handling, food handling, medical & lab use, manufacturing. Nitrile is a good choice for those with latex allergies. Suitable for light-duty tasks.	<b>Page(s)</b>  271-276
	<b>Knit</b>	Cotton/ Polyester	Use as a liner or for additional protection and grip. Suitable for light-duty tasks.	282-283
	<b>Driver's</b>	Cowhide, Pigskin, Goatskin	Use for abrasion resistance, general use. Suitable for medium-duty tasks.	284-286
	<b>Canvas &amp; Fabric</b>	Cotton	General purpose. Suitable for light- to medium-duty tasks.	282-283, 285
	<b>Supported/Dipped</b>	Typically Knit with foam Nitrile, Polyurethane or PVC	Chemical processing/handling, cleaning, oil refining, food processing. Suitable for medium- to heavy-duty tasks.	277-281
	<b>Specialty</b>	Lined & unlined Neoprene, Nitrile, Nylon	Rough, oily, abrasive, hot or cold environments. Suitable for heavy-duty tasks.	285-286

## Glove Types

**Disposable/Single Use** – Gloves from these materials are economical, often disposable and appropriate for general use. Users can find these materials made into gloves that are approved for a variety of settings.

**Knit** – Knit gloves offer comfortable fit and good flexibility and can also be used as a liner for extra protection. Look for gloves featuring PVC dots for extra grip.

**Driver's** – Excellent strength and durability combined with comfort and protection. Look for designs with shirred or elasticized cuffs when you are concerned about keeping dirt and debris out of the glove. Provides abrasion resistance, dexterity, durability and comfort.

**Canvas & Fabric** – Provides durability, dexterity and comfort. Look for palms featuring PVC dots or natural or synthetic hide when greater grip is needed. These gloves can typically be laundered. When sturdy synthetic fabric is used, durability is increased along with resistance to abrasions, cuts and punctures.

**Supported/Dipped** – Degrees of protection vary, with coatings to protect against solvents and chemicals and provide protection from abrasions, punctures and cuts.

**Specialty** – Box handling and other heavy-duty applications that might require exceptional dexterity, grip, and imperviousness to liquids, impact cushioning and other protection. Specialty gloves feature palms, coatings and materials and thicknesses designed for the most demanding users.

**Ansell****A. Dura-Touch® PVC Gloves**

Disposable, multipurpose gloves. Made from premium quality PVC for extra durability. Complies with FDA food handling requirements. Powdered. Clear. 100 gloves per box.

No.	Size	Box
ANS 34715S	Small	
ANS 34715M	Medium	
ANS 34715L	Large	

**B. Dura-Touch® Food PVC Gloves**

Reliable protection without the risk of latex allergies. Made from premium quality PVC for extra durability. Lightly powdered. Rolled/beaded cuff. Blue. 9 in. length. 5 mils thick. 100 gloves per box. 10 boxes per case.

No.	Size	Case
ANS 34775S	Small	
ANS 34775M	Medium	
ANS 34775L	Large	
ANS 34775XL	Extra Large	

**POWDERWALK****C. General-Purpose Vinyl Gloves**

Powder free. Ideal for food preparation, general light duty cleaning, painting, precision parts handling and manufacturing and parts assembly. FDA/USDA Compliant. 100% latex free. Fits either hand. Clear, nonsterile. 3 mils thick. 100 gloves per dispenser.

No.	Size	Dispenser
BWK 365M	Medium	
BWK 365L	Size	

**D. Medical Grade Vinyl Exam Gloves**

Protect hands from exposure in hospitals (outside the operating room) as well as in office exam rooms and home healthcare use. Powder free. 100% latex free. 5 mils thick. 100 gloves per dispenser.

No.	Size	Dispenser
BWK 361M	Medium	
BWK 361L	Large	
BWK 361XL	Extra Large	

**IMPACT****E. Vinyl General-Purpose/Foodservice Gloves**


Disposable gloves have excellent dexterity. Beaded cuff. Powder free. 5 mils thick. White. 100 gloves per box. 10 boxes per case.

No.	Size	Case
IMP 8608M	Medium	
IMP 8608L	Large	

**Ansell****F. Dura-Touch® Economy Vinyl Gloves**

Meets FDA regulations for food contact. Offers near "bare hand" dexterity and sensitivity. Made from premium quality PVC for extra durability. Clear, nonsterile. Powder free. 3 mils thick. 100 gloves per dispenser.

No.	Size	Dispenser
ANS 34725S	Small	
ANS 34725M	Medium	
ANS 34725L	Large	
ANS 34725XL	Extra Large	



A



B



C



D



E



F



## Disposable/Single Use



## BOARDWALK

**A. Synthetic Food Handling/General-Purpose Gloves**

Powder free. Stretchable gloves fit either hand. Ideal for food preparation, general light duty cleaning, painting, manufacturing and parts assembly, and other nonmedical applications. FDA/USDA compliant. 100% latex free. Beige, nonsterile. 4 mils thick. 100 gloves per dispenser.

No.	Size	Dispenser
BWK 315M	Medium	
BWK 315L	Large	

**B. Poly Gloves**

Economical, low density polyethylene glove. Ideal where constant glove changing is required. Comes packed in a convenient dispensing bag. 100 gloves per box. 10 boxes per case.

No.	Size	Case
RPP RDPG 100M	Medium	
RPP RDPG 100LG	Large	



HOSPECO

**C. ProWorks® Black Nitrile Gloves**

Resistant to many chemicals & blood borne pathogens. 5 mil. Reduces hand fatigue. Examination grade. Latex free. Single use. Excellent when working with grease and oils. Size Large. Color Black. 100 gloves per box. 10 boxes per case.

No.	Case
HOS GL N105FL	



Explore More!

HEALTHCARE CAN LINERS page 386

Can't Find It? Call Us!



### A. Conform® Premium Latex Gloves

Provides the highest degree of dexterity available, with the strength and comfort of 100% natural rubber latex. For laboratory analysis/technical work, intricate parts handling, food processing and handling, quality control, electronics assembly, light duty maintenance and cleanup. White, nonsterile. 5 mils thick. Powdered. 100 gloves per dispenser.

No.	Size	Dispenser
ANS 69210M	Medium	
ANS 69210L	Large	
ANS 69210XL	Extra Large	

### B. Conform XT® Disposable Gloves

The highest degree of dexterity. Ideal for electronics assembly, general applications and lab work. FDA approved. Textured finish. Powder free. Beaded cuff. Natural rubber latex. 9 in. length. 5 mils thick. 100 gloves per dispenser.

No.	Size	Dispenser
ANS 69318S	Small	
ANS 69318M	Medium	
ANS 69318L	Large	
ANS 69318XL	Extra Large	

### IMPACT®

### C. Disposable Powder-Free Latex Gloves

Disposable, sanitary gloves offer great dexterity. Can be used for food handling and preparation, assembly and manufacturing work, and any non medical application requiring dexterity. FDA compliant. Natural. 100 gloves per box. 10 boxes per case.

No.	Size	Case
IMP 8625M	Medium	
IMP 8625L	Large	

### BOARDWALK

### D. Latex Exam Gloves

Powdered, with a skintight elastic fit. Provides excellent dexterity for medical, dental and lab applications. Medical grade. Meets FDA 510K requirements. FDA/USDA accepted. Fits either hand. Rolled cuff and powdered for easy on/off. Natural color, nonsterile. 4 mils thick. 100 gloves per dispenser.

No.	Size	Dispenser
BWK 350M	Medium	
BWK 350L	Large	

### General-Purpose Gloves

Ideal for food handling and preparation, assembly and manufacturing work and other nonmedical applications requiring dexterity. FDA/USDA compliant. Fits either hand. Rolled cuff. Natural color, nonsterile. 5 mils thick. 100 gloves per dispenser.

No.	Size	Dispenser
BWK 345M	Medium	
BWK 345L	Large	

### E. Powder Free

BWK 345M	Medium
BWK 345L	Large

### F. Powdered

BWK 355M	Medium
BWK 355L	Large



### G. General-Purpose Latex Gloves

Form fitting, economical latex gloves. Ideal for food handling and preparation as well as maintenance and manufacturing. Rolled cuff. Powdered with USP absorbable dusting powder for optimal tactile sensitivity. 100 gloves per box. 10 boxes per case.

RPP RDLG100M	Case
--------------	------

## Disposable/Single Use

## Gloves



A



B



C



D



E



F



G

Explore More!

page 303 FACE SHIELDS

See page 2 for symbol legend. Call for current pricing.



## Disposable/Single Use



## Disposable Nitrile Gloves

Gloves resist a wide variety of chemicals. Textured. Puncture and abrasion resistant. Powder and latex free. Beaded cuff. Blue, nitrile. Extra Large.

No.	Thickness	Qty./Box	Box
A. MPG 6012XL*	6 Mils	100 gloves	
B. MPG 6025XL	8 Mils	50 gloves	

\* Approved for class 1 medical device



## C. General-Purpose Blue Nitrile Gloves

Powder free. Chemical and puncture resistant. Ideal for lab work, chemical handling, small parts handling and foodservice applications. Meets FDA requirements CFR 21 170.199 for food handling. 100% latex free. Provides superior tear strength and dexterity. Fits either hand. 9½ in. length with textured grip. 4 mils thick. 100 gloves per dispenser.


No.	Size	Dispenser
BWK 380M	Medium	
BWK 380L	Large	



## D. TNT® Disposable Gloves

Gloves contain no fillers, additives, silicones or plasticizers. Ideal for electronics assembly, general applications and lab work. Powder free. FDA compliant. Rolled/beaded cuff. Blue, nitrile. 9.5 in. length. 5 mils thick. 100 gloves per dispenser. 10 dispensers per case.

No.	Size	Case
ANS 92 675 M	Medium	
ANS 92 675 L	Large	
ANS 92 675 XL	Extra Large	





**A. STERLING\* Nitrile Exam Gloves**

Provides a medical grade balance between sensitivity and protection in a latex free glove. Textured fingertips provide sure grip. Excellent for delicate work, superior strength for extended use. Powder free. 200 gloves per dispenser. 10 dispensers per case.

No.	Size	Case
KCC 50706	Small	
KCC 50707	Medium	
KCC 50708	Large	
KCC 50709	Extra Large	

**B. Purple Nitrile\* Exam Gloves**

The second top selling nitrile exam glove in the U.S. Latex free, textured fingertips. Beaded cuff. 6 mils thick. 100 gloves per dispenser.

No.	Size	Dispenser
KCC 55081	Small	
KCC 55082	Medium	
KCC 55083	Large	
KCC 55084	Extra Large	

**C. Safeskin Purple Nitrile Exam Gloves**

Reduces the chance of allergic reactions to natural rubber latex. Distinctive color helps users immediately distinguish these gloves from other latex or synthetic gloves. Latex and powder free. Textured fingertips. Beaded cuff. 100 gloves per box. 4 boxes per case.

No.	Size	Case
KCC 55091	Small	
KCC 55093	Large	

**D. KLEENGUARD\* G10 Arctic Blue Nitrile Gloves**

Provide the protection of nitrile gloves at an everyday price. Use across a wide range of industrial applications while providing more comfort than standard nitrile gloves. Textured fingertips improve grip. No powder or latex. Ambidextrous use on both hands. Beaded cuff for strength and easy wearing.

No.	Size	Qty./Dispenser	Dispenser
KCC 90097	Medium	200	
KCC 90098	Large	200	
KCC 90099	Extra Large	100	

**E. NitrGuard Unsupported Nitrile Gloves**

100% nitrile content offers superior resistance to cuts, snags, abrasions and punctures. Free of latex proteins. Gloves will not swell, sag or weaken from fat absorption. Curved shaped hand provides a natural fit. 13 in. length. Green. Large.

NSP LA132G/10	Dozen
---------------	-------

**IMPACT****F. Powder-Free Disposable Nitrile Gloves**

Chemical and puncture resistant. Flexible powdered latex gloves have multiple applications. Ideal for non medical jobs requiring dexterity. Compliant with food handling and preparation. 8 mil. 50 gloves per box, 10 boxes per case.

No.	Size	Case
IMP 8648S	Small	
IMP 8648M	Medium	



A



B



C



D



E



F



Explore More!

pages 22-28 **DISINFECTANTS**

See page 2 for symbol legend. Call for current pricing.

## Disposable/Single Use • Dispensers



A



B



C



D



E



F



G



H

## Ansell

## A. Touch N Tuff® Disposable Gloves

Gloves contain no fillers, silicones, or plasticizers. Ideal for electronics assembly, general applications and lab work. FDA compliant. Powder free. Silicone free. Rolled/beaded cuff. Nitrile. 9.5 in. length. 5 mils thick. Green. 100 gloves per dispenser.

No.	Size	Dispenser
ANS 92 600 S	Small	
ANS 92 600 M	Medium	
ANS 92 600 L	Large	



## B. KIMTECH PURE® G5 White Nitrile Gloves

Recommended for ISO class five or higher, cleanroom environments. Gloves are packaged in a class 100 cleanroom. AQL level of 1.5 for pinholes. Static dissipative in use. Latex free, textured fingertips. Double bagged with case liner. Beaded cuff. 10 in. length. 100 gloves per bag. 10 bags per case.

KCC 56864	Case
-----------	------

## C. KLEENGUARD® G10 Blue Nitrile Gloves

Designed for tasks requiring maximum dexterity without sacrificing protection. Latex free, powder free. Textured fingertips. Approved for food handling. 9.5 in. length, 6 mils thick.

No.	Size	Qty/Dispenser	Dispenser
KCC 57372	Medium	100	
KCC 57373	Large	100	
KCC 57374	Extra Large	90	



## D. Poly Gloves

Economical, low density polyethylene glove. Ideal where constant glove changing is required. Comes packed in a convenient dispensing bag. 100 gloves per box. 10 boxes per case.

No.	Size	Case
RPP RDPG 100	Medium	
RPP RDPG 100LG	Large	



## E. Clear Polyethylene Food Handling Gloves

Watertight, embossed. Fits either hand. FDA/USDA Accepted. 1.0 mils thick. 100 gloves per pack. 10 packs (1000 gloves) per dispenser.

No.	Size	Dispenser
BWK 370L	Large	
BWK 370M	Medium	



## F. Stainless Steel Glove Dispenser

Rigid, easy to clean shell minimizes the potential for glove contamination and helps prevent damage to cardboard boxes. Spring load, slip free design. Fits perfectly in tight areas. Keyhole style slots simplify wall mounting. Ideal for food preparation areas and hand washing stations. 5½w x 3¾d x 10h.

SAN G0801	Each
-----------	------

## G. Clear Plexiglas® Single-Box Dispenser

High grade, flexible Plexiglas® lets you view contents. 5½w x 3¾d x 10h.

SAN G0803	Each
-----------	------

## H. Clear Plexiglas® Three-Box Dispenser

High grade, flexible Plexiglas® lets you view contents. 16½w x 3¾d x 10h.

SAN G0805	Each
-----------	------

Explore More!

EYE PROTECTION page 298 302  
Can't Find It? Call Us!



**BOARDWALK****A. Nitrile Flock-Lined Gloves**

Superior chemical and abrasion resistance. For car repair, harsh cleaners, solvents and meat processing. FDA compliant. 13 in. length with embossed grip. Mediumweight. Green.

No.	Size	Dozen
BWK 183M	Medium	
BWK 183L	Large	
BWK 183XL	Extra Large	

**B. General Cleaning Yellow Flock-Lined Gloves**

For general cleaning and mild chemical handling. Chemical resistant to mild detergents, acids, solvents, alkalies and germicides. Latex. 12 in. length with embossed nonslip grip. Mediumweight.

No.	Size	Dozen
BWK 242M	Medium	
BWK 242L	Large	
BWK 242XL	Extra Large	

**C. Orange Flock-Lined Gloves**

For janitorial services, dishwashing and strong chemical handling. Chemical resistant to harsh detergents, acids, solvents, alcohols and alkalies. FDA compliant. Latex. 12 in. length with embossed nonslip grip. Heavyweight.

No.	Size	Dozen
BWK 244M	Medium	
BWK 244L	Large	

**Ansell****D. Petroflex® Chemical Resistant Gloves**

Excellent choice for applications where gloves become excessively contaminated or where glove controls are difficult to administer. PVC coating provides good resistance to many chemicals. Rough finish optimizes cut/abrasion protection and provides excellent wet grip. Comfortable lining provides flexibility and launderability. Gauntlet. 10 in. length. Black. 12 pairs per bag. 6 bags per case.

ANS 12 210	Case
------------	------

**E. Yellow Flocked Lined Gloves**

Tough all purpose gloves are used for food processing, cleaning and janitorial duties. 18 mm thickness provides excellent resistance to chemicals and detergents. Chlorinated powder free to minimize particulate contamination. Medium. 12 pair per pack. 12 packs per case.

RPP RHG144M	Case
-------------	------



Explore More!

pages 55 57 **DISH DETERGENT**

See page 2 for symbol legend. Call for current pricing.

## Chemically Resistant

**A. Nitri-Chem® Nitrile Rubber Gloves**

Nitrile gloves are made of synthetic latex. Excellent resistance to punctures and tears. Three times more puncture resistant than rubber. Superior resistance to many types of chemicals. 15 mils thick. Flock lined. Green.

MCR 5319E

Dozen

**B. Scorpio® Neoprene Coated Gloves**

Dipped rough finish makes handling wet, slippery materials easier and safer. Broad spectrum resistance to a wide range of chemicals, including oils, acids, solvents and caustics. The interlock knit cotton lining and flexible neoprene coating stretch to provide a snug fit, and allow easy on and off. 12 in. length. Large.

ANS 8352 10

Pair

**C. Sol-Vex® Nitrile Gloves**

For chemical processing, oil refining, food processing and more. High performance nitrile compound provides strength and chemical resistance. Embossed surface texture improves grip. Gloves won't swell, weaken or degrade. Unlined (except 37175 10). FDA compliant. Green.

No.	Size	Length	Thickness	Case
<b>12 pairs per bag, 12 bags per case</b>				
ANS 37145 XL	Extra Large	13 in.	11 mil	
<b>Dozen</b>				
ANS 37175 10	10	13 in.	15 mil	
<b>Pair</b>				
ANS 37185 7	Small	18 in.	22 mil	
ANS 37185 8	Medium	18 in.	22 mil	
ANS 37185 9	Large	18 in.	22 mil	

**D. Technicians Gloves**

The right blend of chemical protection, dexterity and sensitivity for mid level applications. Blend of neoprene and natural latex. Embossed "pebble" pattern. 12 in. length. 13 mils thick. Small. 12 pairs per bag. 12 bags per case.

ANS 390 7

Case

**E. Neoprene Flock-Lined Gloves**

Ideal for strong chemical handling. Resistant to chlorinated solvents, inorganic acids, petroleum products, paint and varnish remover. Long sleeve 15 in. glove ensures forearm protection; embossed grip. Heavyweight. Black.

No.	Size	Dozen
BWK 543M	Medium	
BWK 543L	Large	





**Ansell****A. Golden Grab-It II Gloves**

Palm coated, safety cuff gloves are cut resistant, comfortable and cost effective. Soft knit jersey lining provides comfort and flexibility compared to flannel. Sharp edges roll over the surface texture. Premium rubber coated, crinkle finish. Large size.

ANS 16347 10

Dozen

**B. Nitrile Safety Cuff Gloves**

In sharp, oily, puncturing, and abrasive environments, these gloves outperform leather and cut resistant automatic knit liners. Nitrile coating and Kevlar® fibers enable the gloves to resist cuts nine times better than leather palm designs, with twice the puncture resistance and over 20 times the abrasion resistance. NitraSafe® gloves offer more than eight times the cut resistance of heavy duty nitrile coated gloves, and they have superior dry grip capabilities. Ergonomically designed, the gloves have a five piece jersey lining for increased flexibility and worker comfort. For use in handling castings, cores, metal fabrication, glass and lumber applications. X Large. 12 pairs per bag. 6 bags per case.

ANS 28359 10

Case

**C. Ninja® HPT Nylon Gloves**

Unique shell and polymer combination incorporating the latest in hand protection. PVC foam sponge (hydropellent technology) coating. Treated with Actifresh® to kill bacteria and promote freshness.

No.	Size	Dozen
MCR N9699S	Small	
MCR N9699M	Medium	
MCR N9699L	Large	
MCR N9699XL	Extra Large	

**Predator® Nitrile Coated Gloves**

Made of 100% cotton jersey lining for comfort, even at low working temperatures. Provides cut, abrasion, snag and puncture resistance. Treated with Actifresh®. Ideal for chemical processing, handling rough castings and steel bars, metal treatment, paint and varnish manufacturing. Launderable. CE, ISO Approved. Large. Blue.

No.	Coating/Finish	Dozen
D. MPG 9761R	Fully Coated, Extra Rough Finish	
E. MPG 9760	Palm Coated, Smooth Finish	



A



B



C



D



E

Explore More!

page 327 SAFETY SIGNS

See page 2 for symbol legend. Call for current pricing.

## Work Gloves



A



B



C



D



E



F



G

## Ansell

## A. HyFlex® CR Gloves

Excellent choice when working with sharp edged materials and tools. Lining provides a comfortable fit with excellent protection from nicks and abrasions. Extended cuff offers extra cut protection. Provides a sure grip in light oil applications. Soil hiding black palm coating. Knit wrist. 12 pairs per bag. 12 bags per case.

No.	Size	Case
Foam Nitrile	Features DuPont® Kevlar® stretch liner with spandex.	
ANS 11500 8	Medium	
ANS 11500 9	Large	
ANS 11500 10	Extra Large	

**Polyurethane** Dyneema® engineered yarn composition

ANS 11624 9	Large	
ANS 11624 10	Extra Large	

## B. HyFlex® CR+ Gloves

Superior cut resistance and outstanding dexterity. Superior oil grip, tactile sensitivity and comfort. Intercept Technology® with DuPont™ Kevlar® stretch armor. Ideal for sheet metal assembly, glass and handling sharp, small parts. Knit wrist. Blue foam nitrile. 12 pairs per bag. 12 bags per case.

No.	Size	Case
ANS 11501 8	Medium	
ANS 11501 9	Large	
ANS 11501 10	Extra Large	
ANS 11501 11	XX Large	

## C. HyFlex® CR2 Gloves

Innovative yarn structure with exceptional cut resistance. Lycra® and Dyneema® liner is combined with a polyurethane palm coating for excellent dexterity and grip. Knit wrist. Gray. 12 pairs per bag. 12 bags per case.

No.	Size	Case
ANS 11627 8	Medium	
ANS 11627 9	Large	
ANS 11627 10	Extra Large	

## D. HyFlex® Foam Gloves

Coated with nitrile polymer for an excellent choice when working with oily parts. Ultra lightweight gloves offer great dexterity, fit and comfort. Use for durable goods assembly and small parts handling. Knit wrist. White/Gray.

No.	Size	Dozen
ANS 11800 7	Small	
ANS 11800 8	Medium	
ANS 11800 9	Large	
ANS 11800 10	Extra Large	

## E. HyFlex® Foam Gray™ Gloves

Offering the same outstanding light oil grip as above. Provides exceptional comfort using knitted variable stitch design. Coating reduces hand fatigue and maximizes dexterity. Gray colored knit liner stays clean longer. Knit wrist. White/Gray. 12 pairs per bag. 12 bags per case.

No.	Size	Case
ANS 11801 8	Medium	
ANS 11801 9	Large	
ANS 11801 10	Extra Large	

## F. HyFlex® Lite Gloves

HyFlex® Lite offers maximum tactile sensitivity and dexterity. Polyurethane, smooth finish. Ideal for electronics industry. Knit wrist. Black/Gray.

No.	Size	Pair
ANS 11600 8	Medium	
ANS 11600 9	Large	
ANS 11600 10	Extra Large	

## G. HyLite® Palm Coated Gloves

For extra comfort, features an interlock lining, generous sizing and a contoured design. Gloves outwear cotton, light leather, and PVC coated gloves. Use for assembly, maintenance, light fabrication. Knit wrist. White/Blue. 12 pairs per bag. 12 bags per case.

No.	Size	Case
ANS 47400 9	Large	
ANS 47400 10	Extra Large	

**Explore More!**  
**TOOL ORGANIZERS** page 343  
 Can't Find It? Call Us!



**NORTH**

by Honeywell

**A. NorthFlex Red™ Foamed PVC Palm Coated Gloves**

15 gauge seamless shell is stretchy and form fitting for user comfort. Provides exceptional grip, particularly in wet conditions. Provides good mechanical properties, including impressive abrasion resistance. Nylon lining, PVC coating. Knit wrist. 10 in. length. Red.

No.	Size	Dozen
NSP NF119L	Large	
NSP NF1110XL	Extra Large	

**B. Smitty® Nitrile Palm Coated Gloves**

Nitrile coating on palm provides sure grip, good abrasion resistance and longer life. Precision blended cotton/polyester shell can be either laundered or dry cleaned with minimal shrinkage. Cool, breathable, grip. Medium. Red/White.

NSP 811162M	Dozen
-------------	-------

**C. Ninja® Force Safety Gloves**

Gray coating conceals dirt and provides excellent dexterity. Lightest Ninja® cut level five glove. Made with Dyneema®. Individually packed pairs with hang tag. Ideal for lathe operations, metal grinding/filing, auto chassis, trim work and ceramics industry.

No.	Size	Pair
MCR N9677S	Small	
MCR N9677M	Medium	
MCR N9677L	Large	
MCR N9677XL	Extra Large	

**D. Memphis Flex Seamless Nylon Knit Glove**

Gray nylon shell. Blue foam latex dipped palm and fingers. Good for multi industrial applications that require high dexterity and comfort.

No.	Size	Dozen
MCR 96731S	Small	
MCR 96731M	Medium	
MCR 96731L	Large	
MCR 96731XL	Extra Large	

**E. UltraTech® Foam Nylon Gloves**

Fit, comfort and protection are the unique qualities of the UltraTech® series. 15 gauge. 100% nylon shell. Nitrile palm and fingers dip. Excellent grip and great dexterity. Resists cuts and abrasions.

No.	Size	Dozen
MCR 9674S	Small	
MCR 9674M	Medium	
MCR 9674L	Large	
MCR 9674XL	Extra Large	

**F. Premium Latex Coated String Gloves**

Manufactured on seamless knit liners that are flat dipped to reproduce the natural curved shape of the hand, resulting in less hand fatigue. Natural rubber provides abrasion resistance. Textured palm and fingers. Excellent comfort and fit. Knit wrist. Large. White/Blue.

MPG 9680L	Dozen
-----------	-------

**G. PowerFlex® Gloves**

Gloves' coating is crinkled for exceptional grip. Ergonomic design. Uncoated back allows air to circulate keeping hands cooler and drier. Abrasion and puncture resistant. Poly/cotton. Natural rubber latex. Gray/Blue.

No.	Size	Pair
ANS 80100 9	Large	
ANS 80100 10	Extra Large	

**H. Tuff-Coat II™ Gloves**

Mediumweight, seamless knit construction eliminates uncomfortable seams that can tear, rub or chafe. Coating provides excellent wet/slippy grip and helps inhibit liquid penetration. DuPont® Kevlar® fiber knit shell. Yellow/Blue.

No.	Size	Dozen
HWL KV300L	Large	
HWL KV300XL	Extra Large	

Explore More!

pages 197-199 **SHOP TOWELS**

See page 2 for symbol legend. Call for current pricing.



## Work Gloves

**A. PVC Dot String Knit Gloves**

A comfortable medium weight cotton/polyester knit glove with PVC dots. Provides general duty protection and enhanced gripping ability. Knit wrist. 8.25 in. length. Natural White.

ANR 6705

Dozen

**B. String Knit Gloves**

A cool and comfortable layer of protection ideal for use as a glove liner. Reversible. Color coded hem to identify sizes. Overcast edging. Knit wrist. Natural White. 7 in. length. Large.

ANR 6700

Dozen

**C. MultiKnit Gloves**

Ideal for food processing and light duty maintenance. Excellent as a glove liner.

ANS 76610 9

Case

**D. Multi-Knit Poly/Cotton Gloves**

Provides light duty protection from dirt and the elements. Black PVC dots enhance grip. Easily laundered for extended service life. Knit wrist cuff. Large. 12 pairs per bag. 12 bags per case.

ANS 76 101 9

Case

**E. Men's PVC-Dotted String Knit Gloves**

Ambidextrous use on either hand. Black PVC dots on both sides provide a firm grip, and double the life of the glove. Machine knit offers breathability, and there is a comfortable string knit wrist. For warehouse work and materials handling. Large.

BWK 792

Dozen

**F. Men's String Knit Gloves**

Cotton/polyester blend gloves ideal as a liner in cold applications, or for general purpose use. Natural color, reversible. Large.

BWK 782

Dozen

**G. Heavyweight String Knit Gloves**

Reversible glove with 60% cotton/40% polyester blend. Ideal for general purpose, material handling, and food processing. Natural. Small.

IMP 8875S

Dozen



Explore More!

**SAFETY SUPPLIES** pages 322-327  
Can't Find It? Call Us!



**BOARDWALK****A. Men's PVC-Dotted Canvas Gloves**

Provides a firm grip for materials handling, shipping and receiving. White canvas glove with knit wrist cuff. Black PVC dots on palm, fingers and thumb with full coverage on index finger and thumb. Clute cut pattern, straight thumb. One size fits all.

BWK 8

Dozen

**B. Men's Cotton Canvas Gloves**

Clute cut pattern. Soft, cotton canvas with a fleeced inner surface and knit wrist for a snug, comfortable fit. Use for warehouse work, assembly and materials handling. Large.

BWK 7

Dozen

**C. Jersey Knit Wrist Gloves**

For materials handling. Comfortable, warm 8 oz. brown jersey with knit wrist cuff. Clute cut pattern, straight thumb. One size fits all.

BWK 9

Dozen

**1000 Series Canvas Gloves**

Ideal for general protection. Abrasion resistant. Clute straight thumb. Knit wrist.

No.	Description	Dozen
<b>D. General Protection</b> PVC Dots for grip, White		
ANR 1000	10 oz.	
ANR 1005	8 oz.	
<b>E. Heavy Duty</b> Minimal Heat Protection		
ANR 1050	Red Cuff	
ANR 1070	White Cuff	
<b>F. Economical</b> General Protection, White		
ANR 1060	Cotton, Fully Corded	
ANR 1110	Cotton Canvas	

**G. Dotted Canvas Gloves**

Provides hand protection while offering finger dexterity and excellent grip. Clute pattern, straight thumb. Knit wrist. Orange PVC dots. Large.

ANR 1090

Dozen

**H. 1000 Series Jersey Gloves**

Soft, comfortable jersey for general duty and light abrasion applications. Knit wrist. Brown.

ANR 1200

Dozen



Explore More!

pages 371-379 **WASTE RECEPTACLES**

See page 2 for symbol legend. Call for current pricing.

## Work Gloves



A



B



C



D



E



F



G



H



I



J

**IMPACT****A. Premium Leather Palm Gloves**

Excellent durability with 2.5 in. safety cuff. Knuckle strap. Gunn cut pattern. Ideal for metal stamping, brick/block handling, lumber handling, steel work and pipe fitting. Yellow/Gray. Large.

IMP 8062

Dozen

**B. Grain Leather Driver's Gloves**

Quality grain cowhide leather. Shirred elastic back. Unlined. Keystone thumb. Large.

IMP 8060L

Dozen

**C. Mustang Premium Grain Leather Palm Gloves**

Gloves become softer with use and withstand moisture without stiffening. Great tactile sensitivity and all day comfort. Full feature Gunn pattern. 2½ in. rubberized safety cuffs.

No.

Size

Dozen

MPG 1935L

Large

MPG 1935XL

Extra Large

**D. Luminator Hi-Vis Gloves**

Hi visibility gloves with 3M® reflective material. Split cow shoulder leather. Fleece palm lining. Large. Orange, Yellow and Gray.

No.

Description

Dozen

MPG 1440L

Select split cow leather

MPG 12440RL

Economy split cow leather

**E. Leather Palm Gloves**

Safety cuff provides extra protection where you need it most. Durable split cowhide leather palm, index finger, fingertips and knuckle strap. Abrasion resistant. Rubberized safety cuff. Gunn wing thumb. Small.

ANR 2100

Dozen

**F. 2000 Series Leather Palm Gloves**

Economical standard split cowhide leather palm gloves are a great protection and comfort in general duty applications. Gunn pattern, wing thumb. Large.

No.

Description

Dozen

ANR 2000

Blue, with Safety Cuff

ANR 2300

Pearl Gray, with Double Palm

**4000 Series Cowhide Leather Driver Gloves**

Quality leather for comfortable and reliable protection. Color coded fabric. Abrasion resistant. Hemmed cuff. Natural.

No.

Size

Dozen

**G. Shirred Elastic Back**

ANR 4000M

Medium

ANR 4000L

Large

ANR 4000XL

Extra Large

**H. Pull Strap**

ANR 4100L

Large

**4000 Series Pigskin Leather Driver Gloves**

Premium grain pigskin leather gloves provide durable hand protection for general work applications. Abrasion resistant. Color coded cotton hem makes it easy to identify size. Shirred elastic wrist helps keep dirt and debris out of the glove. Keystone thumb. Shirred elastic back.

No.

Size

Color

Dozen

**I. Beige**

ANR 4800L

Large

Beige

ANR 4800XL

Extra Large

Beige

**J. Tan**

ANR 4900L

Large

Tan

Explore More!

AUTO PROTECTANTS page 73

Can't Find It? Call Us!





### A. Driver's Gloves

Premium grain goatskin for exceptional durability. Greater softness for sense of touch. Excellent tensile strength. Straight thumb, shirred elastic back. Slip on cuff.

No.	Size	Dozen
MPG 3601 M	Medium	
MPG 3601 L	Large	
MPG 3601 XL	Extra Large	

### Unlined Drivers Gloves

Abrasion resistant.

No.	Size	Dozen
-----	------	-------

**B. Premium Grade Cowhide** Keystone thumb. Shirred Elastic Back. Rolled Cuff.

MPG 3200L	Large	
MPG 3200XL	Extra Large	

**C. Economy Grade Pigskin** Straight Thumb. Slip On Cuff.

MPG 3400L	Large	
-----------	-------	--

### D. Select Shoulder Split Cow Gloves

Shoulder gloves provide excellent protection in harsh work environments. Gunn wing thumb, double palm. Blue fabric with red stripes. Large.

MPG 1311	Dozen
----------	-------



By Honeywell

### E. Grip N® Hot Mill Nitrile Coated Gloves

Glove within glove design provides protection against high heat and intermittent heat up to 400° F. Nitrile palm coating provides excellent grip and longer life. Knit design allows hands to breathe. Medium. White/Rust.

NSP 517146	Dozen
------------	-------



### F. M-Pact 2 Gloves

Anatomically designed with advanced features that include tapered, stretch side panels that form comfortably between fingers. The molded neoprene cuff creates a seamless fit to your wrist. Gloves provide impact absorbing, molded rubber finger protection and EVA deep ribbed accordion knuckle protection. Black. Large.

MNX MP2 05 010	Pair
----------------	------

### G. Original Gloves

Provides a winning combination of versatility and performance. Wrap around rubber molded wrist closure forms better to wrist and improves comfort. Reinforced, two ply thumb and high dexterity fingertips reduces wear and increases protection. Ribbed, two way spandex top increases stretch and flexibility for an even better fit.

No.	Size	Color	Pair
MNX MG05009	Medium	Black	
MNX MG02010	Large	Red	
MNX MG03010	Large	Blue	
MNX MG05010	Large	Black	
MNX MG03011	Extra Large	Blue	
MNX MG05011	Extra Large	Black	
MNX MG05012	XX Large	Black	



### H. Cut-Resistant Gloves

Intermediate level cut resistant glove takes cut resistance to another level. Features stainless steel core filaments for dependable, lasting cut protection. Textured latex palm and fingers for enhanced grip. Anatomically correct fit and the security and support of our exclusive neoprene wraparound wrist support. Rubberized knuckle protection.

No.	Size	Pair
IRN ICR04L	Large	
IRN ICR05XL	Extra Large	



A



B



C



D



E



F



G



H

Explore More!

page 343 TOOL BOXES

See page 2 for symbol legend. Call for current pricing.

## Work Gloves



A



B



C



D



E



F



G

Ansell

## A. Snorkel® PVC Coated Gloves

Jersey lining for cushioning and moderate insulation. Snorkel® features a unique PVC rough finish which provides outstanding chemical resistance, wear and flexibility. Finish contains nylon particles that increase the glove's cut/abrasion resistance and wet grip capabilities. 12 in. length. Gauntlet cuff style. Extra Large. Dark Green.

ANS 4412 10

Dozen

## B. Hynit® MultiPurpose Gloves

Outwears standard 8 oz. cotton by as much as ten to one, standard goatskin by three to one and standard lightweight leather by four to one. Nitrile impregnated fabric provides excellent snag, puncture, abrasion and cut resistance. Superior dry grip without silicone. Lightweight, comfortable and launderable. Color coded cuffs simplify sorting and storage. Slip on cuff.

No.	Size	Dozen
ANS 32125 7	Small	
ANS 32125 7.5	Small/Medium	
ANS 32125 8	Medium	



## C. ProFlex® 925F(x) Dorsal Impact-Reducing Gloves

Washable. Abrasion resistant PVC on palm and three fingers limits liquid penetration. Non slip Armortex® reinforcement zones on thumb saddle and index finger for enhanced grip and durability. Impact, pinch and chopping blow protection. Reflective accents for optimal visibility. 6 pairs per case.

No.	Size	Case
EGO 16054	Large	
EGO 16055	Extra Large	



## D. Box Handler® Gloves

Patented DiamondClad® silicone fused palm for ultimate grip. DuraClad® reinforcements, exclusive abrasion resistant material. Hybrid cuff system secures fit with built in quick release safety feature. Airprene knuckle protection offers protection and breathability. Machine washable.

No.	Size	Pair
IRN BHG04L	Large	
IRN BHG05XL	Extra Large	



## E. Mustang Mig/Tig Welders Gloves

Made of premium grain cowhide with split leather gauntlet cuff. Sewn with DuPont® KEVLAR® thread. Softness for less hand fatigue. Gunn wing thumb.

No.	Size	Dozen
MPG 4950M	Medium	
MPG 4950L	Large	
MPG 4950XL	Extra Large	



## F. Quality Welding Gloves

Fully welted seams and Kevlar® sewn. Excellent comfort, protection and durability. Heat and abrasion resistant. Standard, reinforced palm and thumb. 14 in. length. Large. 12 pairs per box.

ANR 102000

Box



## G. FastFit® Gloves

Incorporates a clarino synthetic leather palm, stretch panels between the fingers and a two way stretch, spandex padded back. Increases protection. Taller cuff provides additional protection and a more secure fit. Black.

No.	Size	Each
MNX MFF05009	Medium	
MNX MFF05010	Large	
MNX MFF05011	Extra Large	
MNX MFF05012	XX Large	



### A. KLEENGUARD® A20 Breathable Particle Protection Coveralls

Lightweight and breathable strong and abrasion resistant for extended wear. Patented MICROFORCE™ Barrier SMS fabric offers barrier protection against dry particulates and light liquid sprays. Zipper front. White. 24 coveralls per case.

No.	Size	Case
KCC 49004	Extra Large	
KCC 49005	2X Large	

#### Elastic Wrist & Ankles; Hood

KCC 49114	X Large	
-----------	---------	--

### B. KLEENGUARD® A30 Breathable Splash & Particle Protection Apparel

Patented MICROFORCE™ Barrier SMS fabric with superior particulate holdout and excellent breathability. Made of heavier fabric for more durability. Ideal for automotive and assembly operation. White. 25 coveralls per case.

No.	Size	Case
-----	------	------

#### Zipper Front w/1 in. Flap; Elastic Back

KCC 46004	Extra Large	
KCC 46005	2X Large	

#### Zipper Front w/1 in. Flap; Elastic Back, Wrists & Ankles

KCC 46103	Large	
KCC 46104	Extra Large	
KCC 46105	2X Large	

#### Zipper Front w/1 in. Flap; Elastic Back, Wrists & Ankles; Hood

KCC 46114	Extra Large	
KCC 46115	2X Large	

### C. KLEENGUARD® A40 Liquid & Particle Protection Apparel

Provides better liquid and particulate barrier. Passes NFPA 99 Criteria for antistatic materials. Meets ANSI/ISEA 101 1996 Sizing Standard. White. 25 coveralls per case.

No.	Size	Case
-----	------	------

#### Zipper Front

KCC 44303	Large	
KCC 44304	Extra Large	
KCC 44305	2X Large	

#### Zipper Front; Elastic Wrists & Ankles

KCC 44313	Large	
KCC 44314	Extra Large	
KCC 44315	2X Large	

#### Zipper Front; Elastic Wrists & Ankles; Hood

KCC 44323	Large	
KCC 44324	Extra Large	
KCC 44325	2X Large	

#### Zipper Front; Elastic Wrists & Ankles; Hood & Boots

KCC 44334	Extra Large	
KCC 44335	2X Large	

### D. KLEENGUARD® A60 Bloodborne Pathogen & Chemical Splash Protection Apparel

Three layer fabric construction features a middle layer of microporous film that allows heat and sweat vapor to escape while protecting against dry particulates and liquid. Passes ASTM F1670 / 1671 testing for penetration of blood, bodily fluids and bloodborne pathogens. Denim Blue. 24 coveralls per case.

No.	Size	Case
-----	------	------

#### Zipper Front; Storm Flap; Elastic Back, Wrists & Ankles

KCC 45003	Large	
KCC 45004	Extra Large	
KCC 45005	2X Large	

#### Zipper Front; Storm Flap; Elastic Back, Wrists & Ankles; Hood

KCC 45023	Large	
KCC 45024	Extra Large	
KCC 45025	2X Large	

#### Zipper Front; Storm Flap; Elastic Back, Wrists & Ankles; Hood & Boots

KCC 45094	Extra Large	
KCC 45095	2X Large	



A



B



A30 Breathable Splash & Particle Protection



C



A40 Liquid & Particle Protection



D



A60 Bloodborne Pathogen & Chemical Splash Protection

Explore More!

pages 298 302 **EYE PROTECTION**

See page 2 for symbol legend. Call for current pricing.

## Coveralls



A



B



C



D

**A. DuPont™ Tyvek® Coveralls**

General protection coveralls provide inherent barrier protection against dry particulate hazards. Even after abrasion, stops sub micron particles better than reusable garments. Serged seams, collar, front zipper closure. White. 25 coveralls per case.

No.	Size	Case
<b>Open Wrists &amp; Ankles</b>		
DUP TY120SM	Medium	
DUP TY120SL	Large	
DUP TY120SXL	Extra Large	
DUP TY120S2XL	2X Large	
DUP TY120S3XL	3X Large	
DUP TY120S4XL	4X Large	

**Elastic Wrist & Ankles**

DUP TY125SL	Large	
DUP TY125SXL	Extra Large	
DUP TY125S2XL	2X Large	
DUP TY125S3XL	3X Large	
DUP TY125S4XL	4X Large	

**B. DuPont™ Tempro® Coveralls**

Disposable overgarment designed to help protect and preserve primary flame resistant garments. Helps resist solids and nontoxic liquids from contaminating primary FR garments. Serged seams, breathable. Front zipper closure, elastic wrist and ankles, attached hood. Light Blue/Blue. 25 coveralls per case.

No.	Size	Case
DUP TM127S XL	Extra Large	
DUP TM127S 2XL	2X Large	
DUP TM127S 3XL	3X Large	

**C. DuPont™ ProShield® NexGen® Coveralls**

Effective barrier against a variety of common industrial aerosols and liquids. Proprietary microporous technology. Serged seams. Laydown collar, front zipper closure. White. 25 coveralls per case.

No.	Size	Case
<b>Open Wrists &amp; Ankles</b>		
DUP NG120SXL	Extra Large	
DUP NG120S2XL	2X Large	
DUP NG120S3XL	3X Large	
<b>Elastic Wrist &amp; Ankles; Hood</b>		
DUP NG127SNPXL	Extra Large	
DUP NG127SNP2X	2X Large	
DUP NG127SNP3X	3X Large	

**D. DuPont™ Tyvek® Hooded Coveralls**

Provides an inherent barrier protection against dry particulate hazards. Serged seams, front zipper closure. Elastic wrist and ankles. White. 25 coveralls per case.

No.	Size	Case
<b>With Hood &amp; Boots</b> Feature skid resistant boots and a respirator fit hood for general protection		
DUP TY122SL	Large	
DUP TY122SXL	Extra Large	
DUP TY122S2XL	2X Large	
DUP TY122S3XL	3X Large	
DUP TY122S4XL	4X Large	
<b>With Hood</b> General protection coveralls with attached hood		
DUP TY127SL	Large	
DUP TY127SXL	Extra Large	
DUP TY127S2XL	2X Large	
DUP TY127S3XL	3X Large	
DUP TY127S4XL	4X Large	



**A. JACKSON SAFETY® SC-6 Hard Hats**

Smooth dome design. Lightweight, molded from dielectric high density polyethylene (HDPE). Caps feature accessory slots for attaching additional personal protective equipment. Four point ratchet. Meets ANSI Z89.1. Meets either Type I or Type II impact requirements. Class C, G and E. For head sizes 6.5 to 8. 12 caps per case.

No.	Color	Case
KCC 14834	White	
KCC 14838	Blue	
KCC 14842	Gray	
KCC 14833	Yellow	

**Skullgard® Protective Caps and Hats**

Heavy duty construction. For use in steel mills and other heavy industries where elevated temperatures are common. Can withstand radiant heat up to 350°F. Standard size for heads 6.5 to 8 in. Meets or exceeds the applicable requirements for a Type 1 helmet (top impact) outlined in ANSI Z89.1 2003, Class E and G.

No.	Color	Qty./Unit	Unit
-----	-------	-----------	------

**B. Protective Caps** Staz On® Suspension

MSA 454617	Natural Tan	16/Case	
------------	-------------	---------	--

**Protective Caps** Fas Trac® Ratchet

MSA 475395	Natural Tan	16/Case	
MSA 482002*	Natural Tan	1/Each	

**C. Protective Hats** Fas Trac® Ratchet

MSA 475408	White	20/Case	
MSA 475407	Natural Tan	20/Case	

**Protective Hats** Hard hat with lamp bracket and cord holder

MSA 460389	Natural Tan	20/Case	
------------	-------------	---------	--

\*Includes Welder's Lugs

**V-Gard® Protective Caps and Hats**

Consists of a polyethylene shell and suspension system working together as a protection system. Comfortable, lightweight protection. Self adjusting crown straps. Meets or exceeds the applicable requirements for a Type 1 helmet (top impact) outlined in ANSI Z89.1 2003, Class E and G. Standard size fits heads 6.5 to 8 in. 20 per case.

No.	Color	Strap Style	Case
-----	-------	-------------	------

**D. Fas Trac® Ratchet Protective Caps**

MSA 475358	White	Slotted	
MSA 475363	Red	Slotted	
MSA 475362	Green	Slotted	
MSA 475360	Yellow	Slotted	
MSA 475359	Blue	Slotted	

**E. Staz On® Suspension Protective Caps**

MSA 463942	White	Slotted	
MSA 463943	Blue	Slotted	
MSA 454733	White	Non slotted	

**F. Fas Trac® Ratchet Protective Hats**

MSA 475368	Blue	Non Slotted	
MSA 475371	Red	Non Slotted	
MSA 475366	Yellow	Non Slotted	
MSA 475367	Gray	Non Slotted	
MSA 475370	Green	Non Slotted	
MSA 475369	White	Non Slotted	
MSA 10021292	Orange	Non Slotted	



## Face &amp; Head Protection



A



B



C



D

OccuNomix

**A. Snap-On Hard Hat Sweatbands**

More economical than many other sweatbands. Absorbs without having to wash first. 100% cotton plush. Fas Trac® ratchet. Machine washable. 100 sweatbands per pack.

No.	Color	Pack
OCC 870B10001	Navy	
OCC 870B100 15	Beige	

Kimberly-Clark  
PROFESSIONAL**B. 391 Head Hugger Suspensions**

Improved ratchet headgear provides over 30 adjustments for comfortable fit without removing headgear. One piece nylon headband with woven nylon crown headstraps. Vinyl forehead cushion and two crown height adjustment. 6 suspensions per case.

KCC 14936	Case
-----------	------

MSA  
The Safety Company**C. V-Gard® Replacement Suspensions**

Replacement suspension system. Four point ratcheting, webbed suspension. Vinyl headband. For V Gard® hats and caps. Standard size 6.5 to 8 in. 1 suspension per bag.

MSA 10087220	Bag
--------------	-----

**Skullgard® Replacement Suspensions**

(Product not shown.) Skullgard® features heavy duty construction for use in steel mills and other heavy industries where elevated temperatures are common. Made of lightweight, tough polycarbonate plastic, shell resists top impacts. Molded cross ridges on the crown provide increased strength and rigidity. 10 suspensions per case.

MSA 473334	Case
------------	------

**D. Custom Terri-Band Sweatbands**

Washable sweatbands with plastic snaps. 10 sweatbands per pack.

MSA 696688	Pack
------------	------





**SERVUS****A. CT™ Economy Knee Boots**

Economy knee boot for rugged and dependable protection. Seamless molded construction with SAFE TOE steel toe and FOOT FORM contour insole. Specialized rubber compound prevents ozone deterioration. Anti skid sole and heel. 100% waterproof. Resists chemicals. 16 in. height. Black. 6 pairs per case.

No.	Size	Case
SVS 188219	9	
SVS 1882110	10	
SVS 1882111	11	
SVS 1882112	12	

**IMPACT****B. General Purpose PVC Boots**

Over the sock boot for waterproof protection in wet, muddy conditions. Resists animal wastes, acids, chemicals, industrial oils, greases. Size 10. Black.

IMP 7390L	Pair
-----------	------

**C. Tyvek® Shoe Covers**

Special coating to provide added slip resistance. 5 in. height, low elastic top. One size fits most. 200 covers per case.

No.	Color	Case
DUP FC450S	Gray	
DUP TY450S	White	

**D. Deep Round Crown Caps**

Reversible, super soft brim fitted welders cap. Fleece. Deep crowned to cover ears and neck. 100% cotton. Assorted patterns. 7 1/4 in. 12 caps per pack.

CMX 2000R714	Pack
--------------	------

**E. N-Ferno® Fleece Balaclava**

FR treated for safety (single wash). Stretch fleece keeps head and neck comfortable. Long length. Fleece. 12 balaclavas per case.

EGO 16821	Case
-----------	------

**F. Winter Liners**

Twill with flame resistant treated outer shell. Sheep thermal lining for severe cold. One universal size. Extra Large neck flap. 72 liners per case.

No.	Description	Color	Case
ANR 600	Arctic Jr. Winter Liner	Blue	
ANR 700	Heavy Duty Liner	Light Green	



Explore More!

pages 280-286 **WORK GLOVES**

See page 2 for symbol legend. Call for current pricing.

## Apparel



A



B



D



C



E



F



G

**DuPont™ Tyvek® Lab Coat**

(Product not shown.) Inherent barrier protection against dry particulate hazards. Even after abrasion, stops sub micron particles better than reusable garments. Serged seam. Features two pockets. White. Extra large. 30 lab coats per case.

DUP TY212S XL

Case

**A. JACKSON SAFETY\* ANSI Class 2 Lime Vest with Silver Reflective**

Deluxe safety vest features 360° visibility with silver beaded reflective tape. Four pocket design with two interior and two exterior pockets. 100% polyester, machine washable mesh withstands up to 25 washings. Meets ANSI/ISEA Z107 2004 Class 2 Standard.

KCC 22838

Each

**Non-ANSI General Purpose Vests**

Bright fluorescent orange or fluorescent lime colors for high visibility stand out against surroundings. Tough, yet lightweight. 18 in. x 47 in.

No.	Color	Each
B. MCR V201R	Orange/Lime/Silver	
C. MCR V201	Orange	

**IMPACT®****D. Economy Back Support**

Economical back support belt with 8 in. elastic back panel, side pulls and detachable suspenders. Back support protects the lower lumbar area and reduces back stress and injury. Encourages proper body mechanics back panel and stays help correct posture while lifting. Suspenders adjust for added flexibility. Ideal for walking, squatting, lifting and turning. Black.

No.	Size	Each
IMP 7389M	Medium	
IMP 7389L	Large	
IMP 7389XL	Extra Large	

**E. Rainsuits**

Three piece rainsuit PVC/Polyester rainsuit. Detachable, drawstring hood features four snaps and chin strap. Jacket has a vented cape back, five snap front closure with storm flap, two front pockets with flaps and a corduroy collar. Overalls have adjustable elastic suspenders with triangular D ring buckles and studs, single snap fly. 35 mils thick. Yellow. 10 rainsuits per case.

No.	Size	Case
ANR 9000XL	Extra Large	
ANR 90002XL	2X Large	
ANR 90003XL	3X Large	

**F. Cotton Sateen Jackets**

Flame retardant jacket with shirt collars. Great for welding. Adjustable black snaps on cuffs for flashback protection. 30 in. length. Visual Green. 12 jackets per case.

No.	Size	Case
ANR CA 1200 L	Large	
ANR CA 1200 XL	Extra Large	
ANR CA 1200 2XL	2X Large	

**DuPont™ Tyvek® Bib-Style Apron**

(Product not shown.) Provides enhanced frontal protection. Bound seams around neck. Ties at waist. Made of flashspun polyolefin, a unique, non woven material. Resistant to penetration, it is chemically and biologically inert, low linting and anti static treated. 36 in. long bound seams. 100 aprons per case. White.

DUP TY273BWH

Case

**G. DuPont™ Tyvek® Sleeves**

Composed of flash spun high density polyethylene which creates a unique, non woven material available only from DuPont®. Elastic at both ends, serged seams. Ideal for lead and asbestos abatement/remediation, general maintenance/operations, spray painting, general clean up. 18 in. length. White. 100 pair per case.

DUP TY500S

Case

Explore More!

COVERALLS pages 287 288

Can't Find It? Call Us!





### A. Foam Earplugs

Smooth, dirt resistant surface for hygiene. Fits a wide range of ear sizes tapered shape to fit comfortably. Hypo allergenic. Can be combined with ear muffs for additional protection. Noise Reduction Rate (NRR) 29dB. Bright Orange.

No.	Qty./Box	Box
<b>Corded</b>		
MCO 29009	200 pair	
<b>Uncorded</b>		
MCO 29008	100 pair	



### B. Max Lite® Disposable Earplugs

Low pressure polyurethane foam expands gently for comfortable long term wear. Contoured T shape for easy insertion. Smooth, soil resistant closed cell foam skin prevents dirt build up. Noise Reduction Rate (NRR) 30dB. Meets ANSI S3.19 1974. Green.

No.	Qty./Box	Box
<b>Corded</b>		
HOW LPF30	100 pair	
<b>Uncorded</b>		
HOW LPF1	200 pair	
HOW LPF1D	500 pair	

### C. Max® Disposable Earplugs

Bell shape delivers maximum in ear comfort. Contoured design is easier to insert, resists tendency to back out of ear canal. Polyurethane foam enhances comfort for long term wear. Smooth, soil resistant closed cell foam skin prevents dirt build up. Noise Reduction Rate (NRR) 33dB. Meets ANSI S3.19 1974.

No.	Color	Qty./Box	Box
<b>Corded</b>			
HOW MAX30	Coral	100 pair	
HOW MAX30USA	Red/White/Blue	100 pair	
<b>Uncorded</b>			
HOW MAX1	Coral	200 pair	
HOW MAX1D	Coral	500 pair	



### D. SparkPlugs® Foam Earplugs



Officially licensed earplugs of NASCAR®. Extra soft foam and tapered design fit snugly and comfortably in the ear. Bright, fun colors provide easy compliance checks. Noise Reduction Rate (NRR) 33dB. Meets ANSI S3.19 1974. Assorted.

No.	Qty./Box	Box
<b>Corded</b>		
MLX 6654	100 pair	
<b>Uncorded</b>		
MLX 6604	200 pair	

### E. Pura-Fit® Foam Earplugs

Long length for easy fitting and removal. Bright color for easy compliance checks. Tapered design to fit the ear canal. Non irritating, smooth surface for added comfort. Noise Reduction Rate (NRR) 33dB. Meets ANSI S3.19 1974. Bright Green.

No.	Qty./Box	Box
<b>Corded</b>		
MLX 6900	100 pair	
<b>Uncorded</b>		
MLX 6800	200 pair	



## Hearing Protection



MOLDEX

## PlugStation® Earplug Dispensers

High visibility dispenser chute delivers plugs right into the palm of your hand. Easily mounts on virtually any wall. Each dispenser is sealed, disposable and completely recyclable. Mounting bracket and hardware. Noise Reduction Rate (NRR) 33dB. Meets ANSI S3.19 1974.

No.	Color	Qty./Pack	Pack
A. MLX 6644	Assorted	250 pair	
B. MLX 6845	Bright Green	500 pair	
C. MLX 6645	Assorted	500 pair	

## Rockets® Reusable Earplugs

Air bubble in the tip provides cushioned comfort. Easy grip handle. Easy insertion in any size ear canal. Pocket Pak® carrying case for plug storage, slips easily into pocket. Washable and reusable. Noise Reduction Rate (NRR) 27dB. Meets ANSI S3.19 1974. Purple. 50 pair per box.

No.	Box
D. Corded	
MLX 6405	
E. Uncorded	
MLX 6400	

HOWARD  
LEIGHT  
by SPECTRUM

## F. AirSoft® Reusable Earplugs

Advanced air pocket design features internal noise blocking fins. Four flange profile creates better seal in the ear canal. Less pressure in the ear canal eliminates that "plugged up" feeling. Rounded flanges, tapered shape. Firm stem facilitates easy insertion and removal. Noise Reduction Rate (NRR) 27dB. Meets ANSI S3.19 1974. Blue.

No.	Description	Qty./Box	Box
HOW AS30R*	Red Poly Cord	50 pair	
HOW DPAS30R	Red Poly Cord	100 pair	
HOW DPAS30W	White Poly Cord	100 pair	

\* Comes with reusable case

## Laser Lite® Disposable Earplugs

Vibrant colors make protection visible. Self adjusting polyurethane foam expands to fit virtually every wearer. Contoured T shape for easy insertion and wear. Smooth, soil resistant closed cell foam skin prevents dirt build up. Noise Reduction Rate (NRR) 32dB. Meets ANSI S3.19 1974. Magenta/Yellow.

No.	Qty./Box	Box
G. Corded		
HOW LL30	100 pair	
HOW LL1	200 pair	
H. Uncorded		
HOW LL1D	500 pair	

## I. Multi Max® Disposable Earplugs

Two sizes in one earplug improves individual fit while simplifying inventory. Smooth, soil resistant closed cell foam skin prevents dirt build up. Self adjusting polyurethane foam expands to fit virtually every wearer. Noise Reduction Rate (NRR) 31dB. Meets ANSI S3.19 1974. Uncorded. Coral/Yellow. 200 pair per box.

HOW MM1	Box
---------	-----

## J. SmartFit® Detectable Earplugs

Conforming Material Technology™ adapts to the shape of the surrounding ear canal when in your ear, and returns the earplug to its original shape when removed. Delivers superior comfort and a truly individual fit. Simplifies inventory control because it fits almost every wearer. Blue color provides high visibility for detection. Metal ring on stem detectable by automated equipment. Noise Reduction Rate (NRR) 25dB. Meets ANSI S3.19 1974. Corded. Blue. 100 pair per box.

HOW SDT 30	Box
------------	-----

Explore More!

**SAFETY SUPPLIES** pages 322-327  
Can't Find It? Call Us!



**A. Fusion® Multiple-Use Earplugs**

FlexiFirm® stem is easy to grasp, ensuring easy insertion into the ear canal. SoftFlange™ creates a comfortable seal in the ear canal for superior comfort and protection. Unique detachable nylon cord system adapts to virtually any application. Noise Reduction Rate (NRR) 27dB. Meets ANSI S.3.19 1974. Molded, corded. 100 pair per box.

No.	Size	Color	Box
<b>Flip Top Box</b>			
HOW FUS30SHP	Small	Green	
<b>HearPack®</b>			
HOW FUS30HP	Regular	Blue/Yellow	

**B. Laser Trak® Detectable Earplugs**

Non ferrous metal grommet and bright colors easily detected by visual and automated inspection. Self adjusting polyurethane foam expands to fit virtually any wearer. Contoured T shape for easy insertion and wear. Noise Reduction Rate (NRR) 32dB. Meets ANSI S.3.19 1974. Corded. Orange/Blue. 100 pair per box.

HOW LT30	Box
----------	-----

**C. SmartFit® Reusable Earplugs**

Conforming Material Technology™ adapts to the shape of the surrounding ear canal when in your ear, and returns the earplug to its original shape when removed. Delivers superior comfort, and a truly individual fit. Simplifies inventory control a single product can fit almost every wearer. Meets ANSI S.3.19 1974. HearPack®. Corded. Orange. 100 pair per box.

HOW SMF30	Box
-----------	-----

**D. Quiet® Reusable Earplugs**

Patented "no roll" design is easy to handle and fit. Contoured shape comfortably matches contours of the ear canal. Smooth, non irritating skin provides all day comfort, easy to clean for long term use. Built in insertion stem makes insertion quick and easy. Noise Reduction Rate (NRR) 26dB. Meets ANSI S.3.19 1974. Orange. 100 pair per box.

No.	Description	Box
HOW QD1	Uncorded	
HOW QD30	Corded	

**E. QB2HYG® Banded Earplugs**

Designed for people who are exposed to intermittent noise. Earplugs offer solid protection with their supra aurial fit. Smooth, ergonomic pods fit inside the opening of the ear canal for noise protection. Patented band design prevents ear pods from touching dirty or contaminated surfaces when set down. Noise Reduction Rate (NRR) 25dB. Meets ANSI S.3.19 1974. Corded Pod. Orange. 50 per box.

HOW QB2HYG	Box
------------	-----

**F. Replacement Pods**

Soft pods rest partially in the ear for protection and comfort. Ergonomic design keeps pods suspended to avoid contamination. Not intended for use without the Quiet Bands. Orange foam. 50 pairs per box.

HOW QB200HYG	Box
--------------	-----

**G. E-A-R Classic Ear Plugs**


Slow recovery, low pressure foam conforms to the shape of the ear canal. Flame resistant and moisture resistant. PVC foam. Uncorded. Yellow. 1 pair per Pillow Pak™. Noise Reduction Rate (NRR) 29dB. 200 pairs per box.

CAB 310 1001	Box
--------------	-----

**H. JACKSON SAFETY® H10 Disposable Earplugs**

Unique hearing protection and comfort. Bullet shaped plug made of soft, roll down foam provides easy insertion without discomfort. Noise Reduction Rate (NRR) 31dB. Universally sized and individually packaged. 200 pairs per pack.

KCC 67210	Pack
-----------	------



pages 310 311 **FIRE EXTINGUISHERS**

See page 2 for symbol legend. Call for current pricing.

## Hearing Protection



A



B



C



Hard cap not included.

D



E

**A. Leightning® Earmuffs**

Padded foam headband delivers long wearing comfort with minimal pressure on the head. Robust steel headband withstands demanding use, especially in tough environments. Snap in ear cushions make replacement quick and easy. Telescopic height adjustment remains fixed during use. Patented Air Flow Control™ technology provides optimal attenuation across all frequencies. Noise Reduction Rate (NRR) 30dB. Meets ANSI S3.19 1974.

No.	Color	Each
HOW 1013941*	Bright Green	
HOW 1010924	Black	

\* High visibility

**B. Thunder® Earmuffs**

Dielectric construction suitable for all workplaces, especially electrical environments. Uniform headband pressure for all head sizes, providing better comfort for long term wear. Inner ventilated headband minimizes pressure on the head, breathes easier in warm/humid climates. Non deforming outer headband withstands rough treatment. Quick click height adjustment remains fixed during wear. Features patented Air Flow Control™ technology, delivering optimal attenuation across all frequencies without increasing ear cup size or weight. Noise Reduction Rate (NRR) 30dB. Meets ANSI S3.19 1974. Black. 10 earmuffs per box.

HOW 1010970	Box
-------------	-----

**C. QM24+® Earmuffs**

The dielectric QM24+® is an ultra lightweight, three position earmuff designed for extended wear. QM24+ features an adjustable crown strap for a secure fit over the head, behind the head and below the chin. Soft foam cushions are easy to clean with soap and water and can be replaced for extended use. Noise Reduction Rate (NRR) 25dB. Meets ANSI S3.19 1974. Red. 20 earmuffs per case.

HOW QM24PLUS	Case
--------------	------

**D. Sound Control™ Cap Earmuffs**

Designed for easy attachment to slotted MSA caps these earmuffs help reduce the effects of excessive noise. Third party certified in accordance with ANSI S3.19 1974, CSA Class A and EN352 3. Hard cap not included. Noise Reduction Rate (NRR) 27dB. Gray.

MSA 10061272	Each
--------------	------

**E. Full Brim Ear Muff**

Protect hearing while wearing hard cap. Hard cap not included.

MSA 10034487	Each
--------------	------





# We've Got it Covered: Eye Protection



**Personal protective eyewear, such as goggles and safety glasses, must be used in a workplace where an eye hazard exists.**

Each day approximately 2,000 U.S. workers sustain an eye injury on the job that requires medical treatment. A third of the injuries are treated in hospital ERs and more than 100 of these injuries result in a day or more of lost work. The majority of these injuries results from small particles or objects striking or abrading the eye.

When choosing eye protection, you'll want to analyze and identify the hazards of your workplace. Then, the choice can be made between safety glasses, goggles or a combination of a faceshield with glasses or goggles as secondary protection.

Eye protection should be fit to the worker or adjustable to provide for appropriate coverage. The worker's personal vision needs to come into play, with safety glasses that allow the user to wear their own glasses underneath.

**You'll want to see good eye protection at work in your environment. Make informed choices and be safe.**

[www.cdc.gov/niosh/topics/eye](http://www.cdc.gov/niosh/topics/eye)

## Safety Glasses

Safety glasses protect against general impact. However, the speed of the impact must be taken into consideration. The higher the velocity, the more likely the safety glasses can be dislodged. In this case, goggles or a faceshield may be a better choice.

## Goggles

Goggles are available in two styles. Direct vented or indirect vented.

**Indirect Vented goggles** are for protection against vapors, chemicals, liquids and dust.

**Direct Vented goggles** provide air flow to the eye area but are only approved for protection against particulates. These are for jobs such as grinding or cutting where dust is an issue.

## Faceshields

A full faceshield is the best option for workers exposed to high speed flying particles or chemical splashes. These must be used in conjunction with safety glasses or goggles to protect against secondary hazards.

## UV Protection

Crucial for workers exposed to ultraviolet radiation such as outdoor workers and welders.

## Lens Coatings/Colors

Eye protection is available in a variety of coatings and lens colors.

**Hard-coated** for applications where lens scratching is an issue.

**Anti-Fog/Anti-Mist** for jobs where workers are exposed to extremes of temperature or warm humid environments.

**Clear Lenses** for indoor or outdoor applications in below normal light conditions.

**Gray or Brown Lenses** for outdoor use where above average light is available.

**Amber Lenses** for applications where light conditions are below normal or where enhanced contrast is needed.



## Eye Care &amp; Protection

**A. Klondike® Protective Eyewear**

Gel nose piece for long wearing comfort. Adjustable temples ensure comfortable fit for male and female wearers. Strong lightweight polycarbonate lens with 11 degree base curve filters out 99.9% of U.V. radiation. Features Duramass® anti fog technology. Meets or exceeds ANSI Z87+ standards. Black frame. 12 pair per box.

No.	Lens Color	Box
CWS KD119	Indoor/Outdoor Clear Mirror	
CWS KD110	Clear	
CWS KD112	Gray	

**B. Astrospec Eyewear**

Easy and economical lens replacement system. Meets ANSI, CE, CSA. Anti scratch, hard coat. Polycarbonate. Black frame. Clear lens. 10 pair per box.

No.	Box
<b>Astrospec 3000®</b> IR 5.0 lens tint	
UVX S1112	
<b>Astrospec OTG® 3001</b> Same features as 3000 but with "Over the Glass" styling, an economical alternative to expensive Rx eyewear.	
UVX S2500	

**C. Bandit™ Eyewear**

Contemporary, sporty wrap around styling. Meets ANSI. Meets military V<sub>0</sub> ballistic test for impact. Anti scratch, hard coat. Polycarbonate. Black frame. Espresso lens. 10 pair per box.

No.	Box
UVX S1603	

**D. Genesis® Eyewear**

Dual 9 base wrap around lens provides uncompromised peripheral vision and protection. Soft flexible fingers adjust and conform to any nasal profile and minimize slippage. Soft elastomer brow guard diffuses and deflects impact. Meets ANSI, CSA, MIL, and Military V<sub>0</sub> ballistic test for impact. Polycarbonate. Black frame. 10 pair per box.

No.	Lens Color/Coating	Box
UVX S3200X	Clear/Uvextreme®	
UVX S3200	Clear/Ultra dura®	
UVX S3212X	Dark Gray/Uvextreme®	



**Explore More!**

**COVERALLS** pages 287-288

Can't Find It? Call Us!





## A. General Purpose Goggles

Provide a wide, unobstructed field of vision. Can be worn with most half mask respirators. Protects against impact and chemical splash. Perforated frame. Transparent protective PVC body permits a comfortable fit over prescription eye wear. Clear.

No.	Description	Qty./Unit	Unit
MCR 2220	Perforated Frame Regular Size	1/Dozen	
MCR 2230R	Indirect Ventilation	1/Each	

## Dallas™ Plus Glasses

Combines fashion, function and a lightweight comfortable fit. Unique nosebridge with a gel nose pad and full length, non slip temple sleeves comfortably fit a wide variety of users. Wrap around lens design provides greater side impact protection. Blocks 99.9% of ultraviolet radiation. Meets or exceeds ANSI Z87+.

No.	Frame Color	Lens Color	Each
B. MCR DL110	Black	Clear	
C. MCR DL112	Black	Gray	
D. MCR DL119AF	Black	Mirrored/Anti Fog	
E. MCR DL310AF	Blue Metallic	Clear/Anti Fog	

## ForceFlex® Glasses

Patented, multi injection molding of the lens with a flexible thermo plastic urethane (TPU) frame. This construction can achieve a military ballistic level impact resistance at over 1000 ft. per second. TPU material allows the frame to flex and fit individual faces from large to small. Sleek dual lens design. Exclusive Duramass® AF4 anti fog and scratch resistant coatings. Exceeds ANSI Z87+. Black frame.

No.	Lens Color	Each
F. MCR FF120	Clear	
G. MCR FF122	Gray	
H. MCR FF128B	Blue Diamond Mirror	

## Klondike® Plus Glasses

Whether on the slopes or in the workplace, Klondike® Plus glasses keep you at the peak of comfort and style all day long. Features adjustable, five position ratchet temples, Duramass® scratch resistant coating. Black matte frame.

No.	Lens Color	Each
I. MCR KD310	Clear	
J. MCR KD312	Gray	
K. MCR KD313	Light Blue	

## Bausch & Lomb

## L. Sight Savers® Premoistened Lens Cleaning Tissues

Antifog, antistatic. For glass and plastic lenses. Dispenser box for countertop or wall. 100 individually packaged tissues per box.

BLO 8574GM	Box
------------	-----



## M. Lens Cleaning Cloths

Ribbon shaped fibers lift dirt and grease instead of rolling over it. Dirt and particles are trapped within knitted tufts of the fibers. Rows and rows of tufts and valleys trap large and small particles. Assorted colors. 20 cloths per case.

MCO 11169	Case
-----------	------



## N. Spec Saver® Towelettes

Anti static, anti fog cleaning. 100 towelettes per box. 10 boxes per case.

CWS LCT	Case
---------	------

## Eye Care & Protection



## O. Uvex Clear® Lens Cleaning Products

Specifically formulated for anti fog and scratch resistant hardcoats. Does not contain silicon.

No.	Description	Qty./Box	Box
UVX S462	Nonabrasive Tissue	500	
UVX S468	Pre Moistened Towelettes	100	

## Eye Care &amp; Protection

**A. JACKSON SAFETY\* V20 PURITY\* Comfort Eye Protection**

Comfortable, padded temples and wrap around lens for better eye coverage. Distortion free lenses with proven impact protection. 99.9% UVA/UVB protection. Meets the ANSI Z87.1 and CSA Z94.3 standards. Clear frame. Clear lens. 12 pair per case.

KCC 25650

Case

**B. JACKSON SAFETY\* V10 ELEMENT\* Eye Protection**

Lightweight, with popular style at an economical price. Universal nose bridge. 99.9% UV protection. Meets ANSI Z87.1+.

No.	Description	Each
KCC 25627	Clear Lens	
KCC 25631	Smoke Lens	

**C. JACKSON SAFETY\* V30 NEMESIS\* Eye Protection**

Sleek, flexible and lightweight design with soft touch temples for added comfort. Scratch resistant, dual polycarbonate lens with 99.9% UV protection. Meets ANSI Z87.1+ standard.

No.	Description	Each
KCC 25676	Black Frame, Clear Lens	
KCC 25688	Black Frame, Smoke Mirror	
KCC 25685	Black Frame, Indoor/Outdoor Lens	
KCC 14481	Black Frame, Blue Mirror Lens	

**D. JACKSON SAFETY\* V40 HELLRAISER\*****Eye Protection**

Streamlined sunglass style is extremely lightweight without compromising sturdiness. Features flex point temples for comfort and stability. 99.9% UV protection. Meets ANSI Z87.1+ Impact Standard.

No.	Description	Each
KCC 20541	Black Frame, Amber Lens	
KCC 25714	Black Frame, Smoke Lens	

**E. JACKSON SAFETY\* V20 VISIO\* Safety Eyewear**

One piece polycarbonate lens with three point adjustable temples for a comfortable fit. Unique duo tone frame. Base curve 8. Meets ANSI Z87.1+ standards. Polycarbonate. Clear/Silver frame. Clear lens. 12 pair per case.

KCC 14470

Case

**F. JACKSON SAFETY\* V60 30-06\* RX Safety Eyewear**

Stylish, ergonomic frame. Soft, comfortable, self adjusting, rubber nose pad. "Cheater" style with diopter for vision assistance. Diopter strength: 1.50. Base curve 7. Meets ANSI Z87.1+ standards. Polycarbonate. Black frame. Clear lens.

KCC 19878

Each

**G. Maxim™ Safety Eyewear**

Adjustable temple lengths. Ventilation channel designed to help minimize fogging. Soft, adjustable nose bridge. Dual injected cushion browguard. Three position pantoscopic lens adjustment moves lens up and down on the face for optimum fit and line of sight. Meets the requirements of CSA Z94.3 2007 and the high impact requirements of ANSI Z87.1 2003. Complies to MIL PRF 31013. Polycarbonate. Black frame. Clear/ DX™ Anti Fog, hard coat lens. 20 pair per case.

MCO 62235

Case

**H. Virtua™ Safety Eyewear**

Contoured flexible temples for comfortable fit. Scratch resistant lens. Lightweight less than 1 oz. Meets ANSI Z87.1 2003. Polycarbonate. Clear frame. 20 pair per case.

No.	Description	Case
MCO 62105	Anti Fog Lens	
MCO 62099	Hard Coat Lens	

Explore More!!

**SAFETY SIGNS** page 327  
Can't Find It? Call Us!





### A. Protégé™ Eyewear

Floating Lens™ design offers increased flexibility for better fit. Secure wrap around brow expands to fit a wide range of users, while soft temple tip and nose pads prevent slipping. Ultra light weight at 27.5 grams. Complies with ANSI Z87+ standard. Polycarbonate. Sandstone frame. Hard coat lens. 10 pair per box.

No.	Lens Color	Box
UVX S4210	Clear	
UVX S4211	Gray	

### B. Tomcat™ Eyewear

Adjustable saddle nose pads for improved fit and comfort. Meets ANSI. Polycarbonate. Hard coat lens. Gray, gun metal frame. 10 pair per box.

No.	Lens Color	Box
UVX S2450	Clear	
UVX S2451	Gray	

### C. Stealth® Goggles

Futuristic, low profile design for chemical splash and impact. Toric lens provides superior optics and peripheral vision, all combined with unsurpassed comfort, quick adjust headband. Neoprene band. Meets ANSI, CSA, CE. Polycarbonate. Gray. Clear lens. 50 pair per case.

UVX S3960C	Case
------------	------

**Replacement Lens for Stealth** Clear with UV Extreme coating. 10 per box.

UVX S700C	Box
-----------	-----



### D. Stratos® Spectacles

Stylish wrap around design with integral sideshields. Treated with Duramass® scratch resistant coating. Provides 99.9% UV protection. Meets or exceeds ANSI Z87.1 2003 safety standards. Polycarbonate lens. Black frame. Clear anti fog lens. 12 pair per box.

CWS SS110	Box
-----------	-----

### E. Storm® Protective Eyewear

Face flattering shape with wraparound lens. Treated with Duramass® scratch resistant coating. Provides 99.9% UV protection. Meets or exceeds ANSI Z87.1+ safety standards. Polycarbonate lens, lightweight nylon frame. Black frame. Clear lens. 12 pair per box.

CWS ST110	Box
-----------	-----

### F. Tomahawk® Protective Eyewear

Features fully adjustable, including five position ratchet action temples. Treated with Duramass® scratch resistant coating. Meets or exceeds ANSI Z87.1+ safety standards. Polycarbonate. Black frame. Clear lens. 12 pair per box.

CWS TK110	Box
-----------	-----

### IMPACT®

#### G. General Purpose Safety Goggles

Chemical splash protected without anti fog lens. Exceeds ANSI Z87.1 2003 high impact requirements. Soft PVC body, adjustable elastic headband. Fits over most prescription eyewear.

IMP 7322	Each
----------	------

#### H. Optirunner™ Safety Glasses

Sports styling contours to the face to provide maximum protection. Vented frame increases airflow to prevent fogging. Built in rubber nose pads prevent slipping. Lenses provide 99.9% UV protection. Exceeds ANSI Z87.1 2003 high impact requirements. One size fits all. Clear lens, Black frame.

IMP 8002CB	Each
------------	------



Explore More!

pages 280 286 **WORK GLOVES**

See page 2 for symbol legend. Call for current pricing.

## Eye Care &amp; Protection



A



B



C



D



E



F



G

**A. SMITH & WESSON® 38 SPECIAL\* Safety Eyewear**

Legendary frame design, Ergonomically designed temples with rubber inserts temple tips for a soft, snug and secure fit. 99.9% UV protection. Meets ANSI Z87.1+. Polycarbonate. Black frame. Smoke lens.

KCC 19859

Each

**B. SMITH & WESSON ELITE\* Safety Glasses**

Lightweight "retro style" design provides the latest fashion statement. Wide temple design provides structural integrity and stability. Dual lenses with an 8 base curve provides wrap around protection. 99.9% UV protection. Meets ANSI Z87.1+ standards. Polycarbonate. Black frame. Anti fog lens.

No.

Lens Color

Each

KCC 21302

Clear

KCC 21303

Smoke

**C. SMITH & WESSON EQUALIZER\* Safety Glasses**

Stylized frame features a cutting edge design that is ideal for work and play. Sport grip temples eliminate slippage. Dual lenses with an 8 base curve provides wrap around protection. 99.9% UV protection. Meets ANSI Z87.1+ standards. Polycarbonate. Gun metal frame. Smoke /anti fog lens.

KCC 21297

Each

**D. SMITH & WESSON MAGNUM 3G\* Safety Glasses**

Ergonomically dimensioned three point fit for the ultimate in comfort. Built in hinge stops help to eliminate scratches. Self adjusting ergonomic rubber nose pad with rubber fingers. 99.9% UV protection. Meets ANSI Z87.1+ standards. Black frame.

No.

Lens Color

Each

KCC 19823

Smoke

KCC 19799

Clear

**E. BearKat® Protective Eyewear**

Treated with Duramass® scratch resistant coating. Single wrap around lens and flexible temple design. Non slip rubber head grips. Meets or exceeds ANSI Z87.1 safety standards. Meets military MIL PRF 31013 clause 3.5.1.1. 99.9% UV protection. Polycarbonate. 12 pair per box.

No.

Frame Color

Lens Color

Box

CWS BK110AF

Frost

Clear/Anti Fog

CWS BK110

Frost

Clear

CWS BK112

Frost Black

Gray

**F. Blackjack® Protective Eyewear**

Metal, foldable alloy temples. Lens block out 99.9% of UV rays. Wrap around design with non slip rubber head grips. Duramass® scratch resistant lens coating. Meets ANSI, CSA, CE, AS/NZS, CGA. Polycarbonate. Chrome frame. Clear lens. 12 pair per box.

CWS S2110

Box

**G. Checklite® Safety Glasses**

Universal nose bridge comfortably fits large user audience. Flexible bayonet temples. Duramass® scratch resistant coating. Meets ANSI Z87.1. Filters 99% of UV radiation. Meets military MIL PRF 31013 clause 3.5.1.1. 12 pair per box.

No.

Frame Color

Lens Color

Box

CWS CL010

Clear

Clear/Uncoated

CWS CL110

Clear

Clear

CWS CL112

Smoke

Gray

**Checkmate® Safety Glasses**

(Product not shown.) Universal nose bridge comfortably fits large user audience. Near total seal of eye orbit, assures the highest level of protection. Flexible bayonet temples. Meet or exceed ANSI Z87.1. Filters 99% of UV radiation. Clear frame. Clear/anti scratch lens. 12 pair per box.

CWS CK110

Box

Explore More!!

HEARING PROTECTION pages 293 296

Can't Find It? Call Us!





### A. Defender® Universal Foldback Frames

Add an extra measure of protection with face shield frames. Does not include visor. Use with V Gard caps and hats, slotted helmets, non slotted helmets (except topgard hats). MSA visors are manufactured for use only on MSA frames and assemblies in order to comply with ANSI/ISEA Z87.1. 5 frames per case.

MSA 488159 Case

### B. Polycarbonate Visors

Polycarbonate visor is formed with a clear viewing area. For V Gard caps and hats. MSA visors are manufactured for use only on MSA frames and assemblies in order to comply with ANSI/ISEA Z87.1. Clear. 12 visors per case.

MSA 488131 Case



### C. JACKSON SAFETY® F30 Acetate Face Shields

Ideal for general protection, scratch resistance and premium optics. With high grade cast sheet, acetate protects against splash. 99.9% UV protection. Meets ANSI Z87.1 standard when used with any KCC headgear. 8 x 12. Clear. 24 shields per case.

KCC 29078 Case

### D. JACKSON SAFETY® F40 Propionate Face Shields

Injection molded propionate offers distortion free optics, and general protection. 99.9% UV protection. 15.5 x 9. Meets ANSI Z87.1 standard when used with any KCC headgear. Clear.

No.	Case Qty.	Case
KCC 29084	12	
KCC 29089	50	



### E. High Performance® Faceshield Windows

Wide vision, preformed to the curve of the crown. Injection molded from propionate, which is superior to other window materials in every significant performance characteristic. Used with F 400, F 500, FH 66, FM 70, FM 71 series faceshields. Meets ANSI Z87.1+. Clear.

No.	Qty./Unit	Unit
FBR 4178CL	1/Each	
FBR 4199CLBP	50/Case	



### F. Regular Faceshields

Headgear has locking cams which eliminate snaps, and lowers replacement costs. Faceshield windows sold separately. PETG. Clear. 6 per package. Provides 99.9% UV protection. Meets or exceeds ANSI Z87+. 100 faceshields per case.

CWS 181640 Case



### G. Flex Sideshields

Molded to a bendable softness, absorbs the energy of impact. No parts or tools required, weaves through temple. Conforms to ANSI standards. Clear. 20 pairs per box.

BOU 99705 Box



A



B



C



D



E



F



G



H



### H. Bionic® Faceshields

Shell offers built in chin protection and extended top of head coverage. Highly adjustable headgear tilts visor nearer or farther from face depending on preference and application. Comfortable cell foam on back of headgear. Breathable, removable, washable headband. Comfortably worn with most goggles and respirators. Passes ANSI Z87+ and CSA Z94.3 standards. No metal parts. Uncoated visor. Clear polycarbonate. Black matte shell. 4 face shields per case.

UVX S8500 Case



# Get Some Air: Using Respirators



The National Institute of Occupational Safety and Health, NIOSH, collaborates with industry partners and other government units to develop respirator standards in accordance with government regulations. Look for the NIOSH code that describes the standard appropriate to your workplace. Respirators reduce worker exposures when engineering control systems, such as ventilation and scrubbing systems, cannot. Employers can require workers to wear respirators to perform some tasks. Approximately five percent of all U.S. workers, in about 20 percent of all work establishments, wear respirators at least some of the time.

## Particulate Respirators

Particulate filters are available in disposable or reusable models with replaceable filters. They cover the nose and mouth and provide protection from airborne particles including dust, mist, liquids and some fumes but not gases or vapors. They are rated by NIOSH according to what and how much they filter out. The ratings have a letter and number.

**N – not oil proof**

**R – oil resistant (up to 8 hours)**

**P – oil proof (beyond 8 hours)**

The numbers refer to the percentage of one-micrometer particles removed during trials. For example, a 95 rating indicates that the filter removes 95% of particles from the air.

## Chemical Cartridge/Gas Mask Respirators

Chemical Cartridge/Gas Mask Respirators contain replaceable carbon filters that absorb gas and vapor from the air. Reusable masks seal tightly around the edges to block out unfiltered air. Choose from Half-Mask, covering only nose and mouth, or Full-Mask, covering your entire face.

Several types of cartridge are available. These include chemical (blocks out vapors but not particles) and dual cartridge (includes a replaceable pre-filter for particulates).

## Choosing the Right Particulate Respirator

	N95	N99	P95	R95	N100	P100
Filtering Efficiency %	95	99	95	95	99.97	99.97
Oil Resistance	None	None	High	Mod.	None	High
<b>Applications</b>						
Healthcare Settings	•					
Grinding	•	•				
Sanding	•	•				
Bagging	•	•				
Non-Oil Substance Processing	•	•				
Foundries			•	•		
Lab Settings			•	•		
Agriculture			•	•		
Petrochemical Manufacturing			•	•		
Undercoatings				•		
Welding					•	•
Pharmaceutical Manufacturing					•	•
Processing Minerals					•	
Coal					•	
Non-Oil Based Mists					•	
Lead						•
Cadmium Handling						•

[www.cdc.gov/niosh/topics/respirators](http://www.cdc.gov/niosh/topics/respirators)



## Disposable Respirators

**N95 PARTICULATE RESPIRATORS**

N95 level respirators are at least 95% efficient when tested against sodium chloride (salt). Used for solid and non oil based particles. Applications include grinding, sanding, bagging and general processing of various minerals and other substances that do not contain oil. Meets NIOSH 42 CFR 84 N95 requirements.

**A. N95 8211 Particulate Respirators**

Ideal for settings involving heat, humidity or extended wear. Cool Flow™ one way exhalation valve for cool dry comfort. Adjustable noseclip. Fixed braided straps. Standard size. 10 per box. 8 boxes per case.

MCO 52750

Case

**B. N95 9211 Flatfold Particulate Respirators**

Ideal for work settings that involve heat, humidity, or long periods of wear. Cool Flow™ one way exhalation valve for cool dry comfort. Three panel respirator with innovative design. Conforms to a wide range of face sizes. Soft cover web on inner panel. Soft noseclip. Lightweight, collapse resistant. Standard size. 10 per box.

MCO 37022

Box

**C. N95 8511 Particulate Respirators**

Ideal for settings involving heat, humidity or extended wear. Cool Flow™ one way exhalation valve for cool dry comfort. Adjustable noseclip. Fixed braided straps. Standard size. 10 per box.

MCO 54343

Box

**D. N95 8210PLUS Particulate Respirators**

Advanced electrostatically charged microfibers. Soft nose foam and adjustable noseclip. Fixed braided strap. Staple free headband attachment. Multi layer, durable construction. 20 per box.

MCO 52924

Box

**E. N95 9210 Particulate Respirators**

Three panel respirator with innovative design. Conforms to a wide range of face sizes. Soft cover web on inner panel. Conformable noseclip. Designed to help provide comfortable, reliable worker protection. 12 per box. 20 boxes per case.

MCO 37021

Case

**F. N95 8210 Particulate Respirators**

Features advanced electret media offering exceptional low breathing resistance. Soft nose foam and adjustable noseclip. Lightweight construction. Staple free strap attachment. 20 per box.

MCO 46457

Box

**G. N95 8200 Particulate Respirators**

Features advanced electret media offering exceptional low breathing resistance. Adjustable noseclip and nose foam. 20 per box. 8 boxes per case.

MCO 07023

Case

**H. N95 8212 Particulate Respirators**

Ideal for welding, torch cutting, brazing, soldering and metal pouring. Half facepiece. Cool Flow™ one way exhalation valve for cool dry comfort. Cake and flame resistant (not a substitute for a faceshield). Lightweight construction. Adjustable noseclip. Adjustable buckle straps. 10 per box.

MCO 54141

Box

**I. N95 8514 Particulate Respirators**

Ideal for welding where ozone and nuisance level organic vapors may be present. Features a carbon layer. Cool Flow™ one way exhalation valve for cool dry comfort. Cake and flame resistant (Not a substitute for a faceshield). Adjustable noseclip. Adjustable buckle straps. 10 per box. 8 boxes per case.

MCO 66299

Case



A



B



C



D



E



F



G



H



I



J

**J. N95 8214 Particulate Respirators**

Ideal for welding where ozone and nuisance level organic vapors may be present. Cool Flow™ one way exhalation valve for cool dry comfort. Cake and flame resistant (Not a substitute for a faceshield). Lightweight construction. Adjustable noseclip. Adjustable buckle straps. 10 per box.

MCO 66192

Box

Explore More!

pages 298 302 **EYE PROTECTION**

See page 2 for symbol legend. Call for current pricing.

## Disposable Respirators



A



B



C



D



E



F



G



H



I



MOLDEX

## N95 PARTICULATE RESPIRATORS

Meets heat and flame resistance with ANSI/ISEA 110 2003 section 7.11.1.

## 2200 and 2300 Series N95 Particulate Respirators

Dura Mesh® shell resists collapsing in heat and humidity. Suitable for welding. Two strap. Medium/Large.

No.	Qty./Box	Box
A. MLX 2300N95*	10 per box	
B. MLX 2200N95	20 per box	

\*Equipped with exhale valve

## C. 2400 Series N95 Particulate Respirators

Added carbon layer helps filter out nuisance levels of ozone and organic vapors (less than OSHA PEL). Dura Mesh® shell resists collapsing in heat and humidity. Includes exhalation valve. Two strap. Medium/Large. 10 per pack.

MLX 2400N95	Pack
-------------	------

## D. 2700 Series N95 Particulate Respirators

HandyStrap® allows mask to hang comfortably around neck when not in use. Includes exhalation valve. Medium/Large. 10 per box.

MLX 2700N95	Box
-------------	-----

3M

## P95 Particulate Respirators

P95 particulate respirators filter at least 95% of airborne particles and are strongly resistant to oil. Cool Flow™ one way exhalation valve for cool dry comfort. Adjustable M noseclip. Faceseal is comfortable to wear and contours easily to help provide a good seal. Lightweight construction. Braided straps. Meets NIOSH requirements. 10 respirators per box.

No.	Box
E. Ideal for grinding, sanding, sweeping, bagging, machining and dusty or oily operations.	
MCO 54285	

F. Ideal in foundry operations, lab settings, agriculture, petrochemical manufacturing, undercoating. Carbon layer reduces exposure to nuisance levels of organic vapors.

MCO 54371	
-----------	--

## G. R95 Particulate Respirators

R95 particulate respirators filter at least 95% of airborne particles and are somewhat resistant to oil. Ideal for foundry operations, lab settings, agriculture, undercoating and petrochemical processing. Carbon layer reduces exposure to nuisance levels of organic vapors. Lightweight construction promotes greater worker comfort and contributes to increased wear time. Soft nose foam. Fixed strap. Meets NIOSH requirements. 20 respirators per box. 6 boxes per case.

MCO 54358	Case
-----------	------

Kimberly-Clark  
PROFESSIONAL

## H. JACKSON SAFETY® R10 N95 Particulate Respirator

Comfortable, soft foam nose pad. Highly visible, color coded knit elastic straps are ultrasonically attached. 20 respirators per box. 8 boxes per case.

KCC 64230	Case
-----------	------

GERSON  
SAFETY

## I. Nuisance Dust Mask

Reduces the irritating effects from nontoxic particles such as pollen, common household dust and cut grass. Adjustable nosepiece. One size fits most. 50 masks per box.

GSN 1501	Box
----------	-----

Explore More!

COVERALLS pages 287 288  
Can't Find It? Call Us!



## Disposable Respirators

**MOLDEX**

### N99 Premium Particulate Respirators

N99 particulate respirators filter at least 99% of airborne particles but are not resistant to oil. Ideal for most welding applications. Dura Mesh® shell resists collapsing in heat and humidity. Includes exhalation valve. Medium/Large. Meets NIOSH requirements.

No.	Suspension	Qty./Unit	Unit
A. MLX 2310N99	2 Strap	60/Case	
B. MLX 2315N99	Adjustable Strap	10/Pack	



A



B



C



D

**3M**

### C. P100 Particulate Respirator

Lightweight, disposable respirator is well suited for those who want NIOSH's highest rated filtration efficiency. Provides a minimum filter efficiency of 99.9% against oil and non oil based particles. Half facepiece. Cool Flow™ one way exhalation valve for cool dry comfort. Adjustable noseclip. Lightweight construction. Adjustable buckle straps. 20 cartridges per case.

MCO 54336	Case
-----------	------

### D. N100 Particulate Respirators

N100 particulate respirators filter at least 99.97% of airborne particles but are not resistant to oil. Recommended for substance specific particle exposures up to 10x OSHA PEL for lead, cadmium, arsenic, and others. Cool Flow™ one way exhalation valve for cool dry comfort. Face seal is comfortable to wear and contours easily to help provide a good seal. Adjustable noseclip. Lightweight construction. Easily fits under face shields. Adjustable buckle straps provide a comfortable, secure fit with a single tug. Standard size. Individually wrapped. Meets NIOSH requirements. 20 bags per box. 6 boxes per case.

MCO 54143	Case
-----------	------



Explore More!

pages 293 296 **HEARING PROTECTION**

See page 2 for symbol legend. Call for current pricing.

## A black and white photograph of a 3M respirator mask, labeled 'A'. The mask is a full-facepiece respirator with a large central circular filter and two side filters. It has a clear visor and adjustable straps. The 3M logo is visible on the front.



No.	Size	Case
MCO 07024	Small	
MCO 07025	Medium	
MCO 07026	Large	

MCO 46464

## by Honeywell

## NSP 770030M

## NSP 760008A

## NSP N75001

## ALG 1001



### Explore More!

**HARD HATS** page 289  
Can't Find It? Call Us!





by Honeywell

**A. Scorpion™ Personal Fall Limiters**

Economical alternative to shock absorbing lanyards. Carabiner and swivel shackle on top of unit. Plastic housing. Teflon® HT webbing protection. Attach directly to back D ring as a personal fall limiter, or use as traditional self retracting life line.

MFL PFL49FT

Each



The Safety Company

**B. Ergonomic Tool Holders**

Vibration absorbing design. Attach to broom handles and mops for better grip. Eases awkward hand positioning. 18 in. length.

MSA 507005

Each

**C. ShockWave2™ 100% Shock Absorbing Lanyards**

Tie off, shock absorbing lanyard expands and contracts, with self locking snap hooks at center and flat steel hooks at leg ends. Meets or exceeds all applicable industry standards including OSHA, ANSI and the stringent ANSI Z360. Polyester. Yellow. 6 ft. 3600 lbs maximum load capacity.

DBS 1244412

Each

**Delta No-Tangle™ Harnesses**

Delta No Tangle™ design for added comfort and easy donning. Spring loaded stand up back D ring ensures fast, easy, and safe connections. Parachute buckles on lower shoulder straps for quick and easy adjustment. Adjustable non slip chest strap with easy to use pass thru buckle. Coated hardware for corrosion resistance. Two waist D rings. Large. Yellow/Navy. Polyester.

No.

Each

D. DBS 1101655

E. DBS 1102000\*

\* With iSafe technology for inspection and inventory purposes



A



B



C



D

E

Explore More!  
page 303 **FACE MASKS**

See page 2 for symbol legend. Call for current pricing.

## Fire Extinguishers &amp; Gas Protection



A



B



C



D



E



F

**ProLine™ Multi-Purpose Dry Chemical Fire Extinguishers - ABC Type**

Designed to meet most commercial and industrial specifications. Monoammonium Phosphate. Tough impact resistant metal valve, handle and lever. Powder coated cylinder for corrosion protection. Easy to read gauge. Wall hanger. Rechargeable. Aluminum.

No.	Charge Wt.	Unit Weight	UL Rating	Each
<b>With Steel Cylinder</b>				
A. ♦KDD 466204	10	19.5 lbs.	4 A; 60 B:C	
<b>With Nonmagnetic Aluminum Cylinder</b>				
B. ♦KDD 466227*	2.6	4.5 lbs.	1 A; 10 B:C	
C. ♦KDD 466112	5	10 lbs.	3 A; 40 B:C	
D. ♦KDD 466206	18	19.5 lbs.	10 A; 80 B:C	

\*Includes wall hanger

**E. ProPlus™ Multi-Purpose Dry Chemical Fire Extinguishers - ABC Type**

Tough impact resistant metal valve, handle and lever. Designed to meet most commercial and industrial specifications. Powder coated cylinder for corrosion protection. Monoammonium Phosphate. Easy to read gauge. Wall hanger. Rechargeable. Steel.

♦KDD 468003	Each
-------------	------

**F. Running Board Strap Bracket**

This heavy duty running board style fire extinguisher bracket features a durable powder coated painted surface to resist corrosion and for weatherability. Designed to secure all Kidde dry chemical fire extinguisher models. Buckle style retention strap. Multiple screw holes for various mounting options. Mounting screws not included. Black.

No.	Unit Weight	Each
KDD 292474	15 lbs.	
KDD 366242	3.96 lbs.	

♦ Cannot be shipped via UPS







### A. Automobile Fire Extinguishers

Fitted with a "one touch" pressure check device to ensure reliable performance. Regular dry chemical. Sodium Bicarbonate. Features lightweight aluminum and a tough nylon valve. "No Drill" velcro bracket. UL Listed. Effective against class B and C fires. 4 extinguishers per pack.

◆KDD 21006287

Pack

### B. Full Home Fire Extinguishers

Clear instruction label using graphics to show steps required to operate extinguisher. Easy to read gauge tells you fire extinguisher is charged and ready for use. Easy to pull safety pin, rust and impact resistant nylon handle. Retention strap bracket. Monoammonium Phosphate. Multipurpose. Effective against class A, B and C fires. U.S.C.G. DOT approved. Aluminum. 6 extinguishers per case.

◆KDD 466142

Case

### C. Pro Series Fire Extinguishers

Multipurpose rechargeable fire extinguisher. Pressure gauge allows for immediate pressure status check. Heavy duty chrome plated brass valve. Monoammonium Phosphate. Powder coated cylinder for corrosion protection. Wall hanger. Effective against class A, B and C fires. U.S.C.G. DOT approved. Aluminum. 4 extinguishers per case.

KDD 21005779

Case

### D. ProLine™ Carbon Dioxide Fire Extinguishers - BC Type

Seamless cylinder is strong and lightweight. CO<sub>2</sub> gas dissipates quickly leaving no residue. Wall hanger. Cleaning agent will not contaminate food, valuable materials or electronics. Aluminum.

◆KDD 466180

Each

### E. ProLine™ Water Fire Extinguishers

Supplied empty and requires third party to fill and charge. For common combustibles. Wall hanger. Stainless steel.

KDD 466403

Each

### F. Residential Series Kitchen Fire Extinguishers

Pressure gauge allows for immediate pressure status check. Easy to pull safety pin. Rust and impact resistant nylon handle. Powder coated cylinder for corrosion protection. Wall hanger. Sodium Bicarbonate. Aluminum. 6 extinguishers per case.

◆KDD 21005753

Case

◆Cannot be shipped via UPS

## JUSTRITE

### Safety Cans

For flammable materials. Fully compliant safety cans feature a chemical resistant stainless steel flame arrester that stops flashback ignition. Provides faster liquid flow, and offers exceptional durability and corrosion protection for long life. Eliminates the potential of a spark and possible explosion. Self closing lid controls vapors and spills, ergonomic design makes it easy to use. Leakproof, positive pressure relief cap. 100% leak tested. The exclusive vented AccuFlow™ manifold and Safe Squeeze™ trigger handle provide superior pour control and smooth liquid flow. Meets OSHA and NFPA. FM, UL/ULC Listed. CARB Compliant; Worldwide usage TÜV certified. 5 gal. capacity.

No.	Color	Each
<b>G. Type I Safety Cans</b>		
JUS 7150100	Red	
JUS 7150200	Yellow	
<b>H. Type II AccuFlow™ Safety Cans</b>		
JUS 7250120	Red	Includes flexible metal hose






# PRODUCTS

## THAT WORK in the Factory







## A. AquaGuard Gravity-Flow Eye Washes

Self contained gravity flow eyewash units use gravity to deliver water through dual spray heads. Integral full flow nozzles deliver soft spray of water. Furnished with epoxy coated steel bracket for mounting unit on wall, unit can also be placed on countertop or other flat surface. Meets ANSI standards Z358.1 classified primary. 16 gal. capacity. Green polyethylene.

GUA G1540

Each

## B. Eye Wash & Shower Stations

Eyewash is activated by flag handle, two GS Plus™ spray type outlet heads with "flop top" dust cover. Delivers a flood of water to effectively rinse eyes. Stainless steel actuating arm and 29 in. stainless steel pull rod. Internal flow control and filter to remove impurities from the water flow. ½ in. IPS chrome plated brass stay open ball eyewash valve. Meets ANSI standards Z358.1 classified primary. Safety orange ABS. 90 in. height.

GUA G1902P

Each



## C. Fendall 2000™ Sterile Emergency Eyewash Cartridges

100% sterile, pH balanced, saline solution. Up to 24 month cartridge life. Cartridge change takes less than five minutes. 7 gal. cartridge.

FND 32 ST2050 0000

Each

## D. Eyesaline® Wall Stations

Holds factory sealed, sterile, preserved, buffered saline solution bottles firmly in place for easy access in an emergency. Mounts to wall with provided screws. Overhang protects bottles from dust and debris. Twist off, tamper resistant tabs prevent leaking and are easily removed in an emergency. Simple, highly visible, operating instructions are provided on each unit. Durable, easy to clean plastic. 32 oz. bottles. 2 bottles per station. 4 stations per case.

FND 320004620000

Case

## E. Eyesaline® Personal Eyewash Products

Eyesaline® solution. Easy open top. User controlled volume delivery. Quality assured manufacturing. 4 oz. bottle. 24 bottles per case.

FND 320004520000

Case

## F. Eyesaline® Wall Station Refill Bottles

Refills contain Eyesaline® and have extended flow nozzles. 32 oz. eyewash and body flush refill bottles feature integral gripping surface for ease of handling. Bottles have bi lingual, English/Spanish instructions on label. 12 bottles per case.

No.

Size

Case

FND 320004540000

16 oz.

FND 32 000455 0000

32 oz.

## Porta Stream® II Emergency Eyewash Station

Can be easily relocated to provide emergency eyewash capability at, or near hazards. No plumbing required, no moving parts. Hanging bracket permits easy installation on both vertical and horizontal surfaces. Full flow nozzles cover a wide area around the eyes. Molded in tough FDA approved polyethylene.

No.

Size

Each

G. FND 320002300000

8 oz.

**Replacement saline concentrate** Preserved, buffered, saline solution. Mix with clean, portable water. Included preservative inhibits bacterial growth. 4 bottles per case.

No.

Size

Case

H. FND 32 000513 0000

180 oz.



## Pure Flow 1000® Emergency Eyewash Station

Provides purified Eyesaline® solution, contaminant free and physiologically correct from a sealed, integrated delivery module. Constant fluid flow rate and stream height for 15 minutes. Integral drain valve allows easy draining of reservoir after use. Cover keeps dirt and trash from collecting in the basin and nozzle, activation straps display expiration date. SEI certified to meet ANSI Z358.1.

No.

Kit

I. FND 320010000000

No.

Set

**Refill cartridges** Preserved, buffered, pH balanced, saline solution. Up to 24 month cartridge life. Cartridge change takes less than five minutes. 7 gal. cartridge.

J. FND 320010500000



## K. Double Eye/Face Wash Station

Durable, plastic station with two 16 oz. bottles of saline solution provide initial flushing for alkali and acid splash. Dated and safety sealed to guard against contamination. Complies with ANSI Z358.1 1998 Safety Standard for personal eyewash stations. 11w x 4d x 13h.

BWK 7349

Each



# First Aid Products



## I. HealthGards® First Aid Kit – 50 Person

Includes: gauze pads, burn cream, antibiotic cream, antiseptic BZK towelettes, eyepads, tape, plastic strips assortment, absorbent compress, triangular bandage, gloves nitrile, alcohol gel, gauze roll, cold pack, non stick pad, ammonia inhalant, PVP iodine wipe, eyewash, elastic bandage Ace style, forceps, first aid facts sheet, poly white box, safety flag sealed.

HOS 2107

Each



Acme United Corporation

## A. 10 Person ANSI First Aid Kits

Weatherproof first aid kit for a group of 10. Kit includes adhesive strips and tape rolls, antiseptic wipes, forceps, wound pads, scissors, bandages, burn cream packets, antibiotic ointment packets, exam gloves and more. Exceeds requirements of ANSI Z308.12009. 12 kits per case.

ACE 6060

Case

## ANSI Plus First Aid Kits

First aid kit with eyewash. Neat, orderly interior packaging, makes content easy to locate and use. Kit includes adhesive strips and tape, antiseptic wipes, eye pads (with strips), forceps, bandages, pads, cold pack, latex gloves, scissors, antibiotic ointment packets and eye flush. Exceeds requirements of ANSI Standard Z308.1 2009. 12 kits per case.

No.	Description	Case
B. ACE 6410	10 Person Kit	
C. ACE 6430	25 Person Kit	

## D. First Aid Kit

First aid kit is the perfect size for your home, office or car. White plastic case is dust and moisture resistant with long lasting hinges and two latches. A handle is built in for portability; wall mountable. Provides supplies for 25 people. Each kit contains a variety of quality products to care for the following: cuts, scrapes and bruises, minor eye irritations, personal discomfort, minor burns. Includes a first aid guide. Meets or exceeds Federal OSHA Regulation 1910.151b.

ACE 25001

Each

## E. Three-Shelf Industrial First Aid Kit

Heavy duty, shelf steel cabinet. Perfect for large office settings or manufacturing facilities supplies for up to 100 people. Compliant with ANSI standard Z308.1. Meets or exceeds Federal OSHA Regulation 1910.151b (may vary by state). Weather, water and dust resistant. Wall mountable.

ACE 50000

Each

## F. Office 25-Person First Aid Kit

Perfect for medium office settings or schools. White plastic case has a weatherproof seal to protect and prolong contents. Dust and moisture resistant with long lasting hinges and two latches. A handle is built in for portability; wall mountable.

ACE 60002

Each



by Honeywell

## G. First Aid Kits

Waterproof kits are ideal for manufacturing settings for a group of 25. Includes adhesive bandages and tape, antiseptic wipes, CPR Filtershield™, Eye Lert® eyewash and pad, burn cream, first aid guide, forceps, cold pack, Pain A Rest®, non aspirin, poison control directory, scissors, antibiotic ointment pouch, pads and medical gloves. ANSI Z308.1 2003 compliant. 10 kits per case.

NSP 0197020002L

Case

## IMPACT®

## H. 50-Person First Aid Kit

Provides first aid supplies for up to 50 people. Kit includes adhesive bandages, elbow and knee bandages, fabric bandages, latex free elastic bandage, triangular sling with two pins, conforming gauze roll bandages, trauma and gauze dressing pads, sterile eye packs and eye wash, first aid/burn cream packs, instant cold compress, aspirin tablets, first aid tape roll, plastic tweezers, 4½ in. scissors, two pairs of vinyl exam gloves and a first aid guide. Plastic carrying case: 10½w x 3d x 11h.

IMP 7850

Each



**BOARDWALK****A. Bloodborne Pathogen Cleanup Kit**

Complies with OSHA Standard 29 CFR 1910.1030 for cleaning blood. Heavy duty plastic case with safety latch and handle. Wall mountable. Includes one pair disposable vinyl gloves, one pair disposable shoe covers, one disposable apron, two scoop/scrappers, two red biohazard bags with ties, one disposable towel, one pair protective eye wear, one isolation mask, one 3 oz. packet of absorbent powder, two antiseptic wipes, one disposable wipe with HIV 1 tuberculocidal claim, Material Safety Data Sheets and instructions.

BWK 7351

Each

**ZOLL****B. AED Plus® Defibrillators**

The only AED on the market with real CPR Help™ that measures your CPR depth as well as rate of compressions. Provides immediate feedback to improve your performance during a rescue, critical to saving lives. AED Plus® has three ways to get you vital information through pictures, voice prompts and a large back lit screen. Graphical representation of your CPR performance and other critical information.

ZOL 21400010101011010

Each

**3M****C. Nexcare™ Active™ Flexible Foam Bandages**

Unique flexible foam strip conforms, stretches and bends, even around fingers, knuckles, knees and elbows. Advanced, water resistant adhesive offers extra sticking power even on damp skin; seals around pad to keep out dirt and other contaminants. Soft, absorbent non stick pad. 30, 1 in. x 3 in. size bandages per box.

MCO 512 30PB

Box

**D. Exam Table Paper Rolls**

Ideal for use on medical exam tables. 18 in. wide paper rolls. 12 rolls per case.

No.	Description	Length	Case
AVA 613LG	Crepe	125 ft.	
AVA 513LG	Smooth	225 ft.	

**E. Medical Safe**

Keep your medications organized and protected. Solid steel construction and high security key lock. Included bolt down hardware provides additional security. 6.6w x 11.4d x 10.4h. Shpg wt. 14.6 lbs. White.

SEN MX031K **NEW**

Each



A



B



C



D



E

# There's a name for safety, quality and value combined... Boardwalk.



Boardwalk safety products span a range of categories, but they share the characteristics that the Boardwalk name has always represented. Boardwalk products represent quality and value, with features that deliver real benefits to users. Boardwalk offers gloves for general-purpose, janitorial, and chemical resistant uses as well as eye/face wash stations and bloodborne pathogen cleanup kits.

**When you're counting on safety, look to Boardwalk.**

**BOARDWALK®**



## Pain Relievers

Packaged for individual use and to replenish first aid stations and kits. Hand box dispenses single dose packets. 50 packs per box.

No.	Box
<b>A. Aleve</b> Individually wrapped tablets. ACE 90010	
<b>B. Advil® Tablets</b> 2 tablets per pack. ACE 15000	
<b>C. Bayer® Aspirin</b> 2 tablets per pack. ACE 12408	
<b>D. Physicians Care® Ibuprofen</b> 2 tablets per pack. ACE 90015	
<b>E. Physicians Care® Extra Strength Acetaminophen</b> 2 tablets per pack. ACE 90016	
<b>F. Physicians Care® Extra Strength Excedrin®</b> 2 tablets per pack. ACE 90316	

## G. First Aid Refill Pack

Contains 10 of the most frequently used products (94 pieces): 1 in. x 3 in. adhesive bandages, knuckle bandages, fingertip bandages, sterile gauze, antiseptic wipes, sting relief wipes, ice pack, burn ointment, non stick pads and tape. Shpg. wt. 4 lbs.

ACE 40001	Each
-----------	------

## H. 3-Shelf Industrial First Aid Station

Equipped with inner door pouches for easy access to contents. Modular removable packaging for wound dressing and eye first aid, for when the victim cannot be brought to the station.

ACE 6155	Kit
----------	-----



## I. Pain Reliever Refill Packs

Packaged for individual use or to quickly replenish first aid stations and kits. Hand box dispenses single dose packets.

No.	Box
<b>Aleve</b> Individually wrapped tablets. 30 packs per box. LIL 51030 <b>NEW</b>	
<b>Maximum Strength Zantac 150®</b> Individually wrapped 150 mg acid reducer. 20 packs per box. LIL 53026 <b>NEW</b>	
<b>Advil® Ibuprofen</b> 2 tablets per pack. 30 packs per box. LIL 58030 <b>NEW</b>	
<b>J. Tylenol®</b> Packaged for individual use and to replenish first aid stations and kits. Hand box dispenses single dose products. 50 packs per box. LIL 97477 <b>NEW</b>	Box

## K. Single-Dose Medicine Dispenser

Dispenser holds 110 single dose sanitary pouches. Includes 30 doses each of Tylenol Extra Strength, Advil and Aleve; and 20 doses of Zantac 150®. Refill with any medicine, up to four different varieties. Plastic. Mounts with two screws or picture hangers (not included).

LIL 71613 <b>NEW</b>	Each
----------------------	------

## First Aid Products





## Sport Drinks



A



B



C



D



E



F



G

**F. Emergen-C® Original Formula**

A powerful blend of vitamins, nutrients, antioxidant power and electrolytes. Original formula packs have three flavor varieties. 0.3 oz. packet. 30 packets per pack.

No.	Flavor	Pack
ALA EC001 <b>NEW</b>	Orange/Raspberry/Pink Lemonade	
ALA EC002 <b>NEW</b>	Orange/Tropical/Berry Blue	
ALA EC003 <b>NEW</b>	Orange/Tangerine/Raspberry	

**G. Emergen-C® Multi-Vitamin Plus Drink Mixes**

Naturally sweetened and packed with a unique blend of antioxidants, minerals and vitamins, including 500 mg of Vitamin C, B vitamins for energy and choline for brain function. 0.3 oz. packet. 30 packets per box.

No.	Flavor	Box
ALA EF190 <b>NEW</b>	Cherry Pomegranate	
ALA EF191 <b>NEW</b>	Apricot Mango	

**A. Gatorade® Instant Powder**

Give your workers the economical low sodium solution for fighting dehydration and fatigue on the job. Easy to store mix is ideal for sites where fresh water is available or mix beforehand for transport. Simply mix the powder with the indicated amount of water for instantly refreshing drinks.

No.	Flavor	Case
<b>Package Yield: 1 Quart</b> 2.12 oz. pack, 144 packs per case		
QOC 33808	Fruit Punch	
QOC 03928	Lemon Lime	
QOC 33675	Riptide Rush™	
<b>Package Yield: 1 Gallon</b> 8.5 oz. pack, 40 packs per case		
QOC 3956	Lemon Lime	
QOC 3957	Orange	
QOC 33690	Fruit Punch	
QOC 33665	Riptide Rush™	
QOC 3808	Fruit Punch	
<b>Package Yield: 2.5 Gallons</b> 21 oz. pack, 32 packs per case		
QOC 33673	Riptide Rush™	
QOC 33677	Glacier Freeze®	
QOC 33691	Fruit Punch	
QOC 3944*	Assorted	
QOC 3969	Lemon Lime	
QOC 3970	Orange	
<b>Package Yield: 6 Gallons</b> 51 oz. pack, 14 packs per case		
QOC 33672	Riptide Rush™	
QOC 3967	Lemon Lime	
QOC 3968	Orange	
QOC 33676	Glacier Freeze®	

\* Lemon Lime; Fruit Punch; Riptide Rush™; Orange

**B. Gatorade® Cans**

Each ready to drink can delivers a unique and proprietary formula of sodium, potassium and essential carbohydrates. Supplies needed energy to tired, sore muscles rehydrating and replenishing your system with the nutrients necessary to help recover after strenuous activity. 11.6 oz. can. 24 cans per case.

No.	Flavor	Case
QOC 00901	Lemon Lime	
QOC 00902	Orange	

**C. Gatorade® Liquid Concentrates**

Two pumps of concentrate mix instantly with 12 oz. of water for a refreshing individual serving. Each 1 gal. bottle of liquid concentrate makes six gallons of Gatorade®. Gallon bottle. 4 bottles per case.

No.	Flavor	Case
QOC 33977	Fruit Punch	
QOC 03984	Lemon Lime	
QOC 39955	Orange	

**D. Emergen-C® Immune Defense Drink Mixes**

A powerful blend of vitamins, nutrients, antioxidant power and electrolytes makes these drinks as beneficial as they are delicious. 0.3 oz. packet. 50 packets per pack.

No.	Flavor	Pack
ALA EV279 <b>NEW</b>	Super Orange	
ALA EV280 <b>NEW</b>	Raspberry	
ALA EV281 <b>NEW</b>	Tangerine	
ALA EV282 <b>NEW</b>	Acai Berry	
ALA EV283 <b>NEW</b>	Pink Lemonade	

**E. Emergen-C® Immune+ Formula**

Brings a rush of 26 nutrients and minerals, including 1000 mg of Vitamin C, enhanced Zinc, A and D vitamins and a proprietary blend of antioxidants. 0.3 oz. packet.

No.	Flavor	Qty./Pack	Pack
ALA EF007 <b>NEW</b>	Blueberry Acai	30	
ALA EF008 <b>NEW</b>	Citrus	10	

Explore More!

PLASTIC CUPS pages 416 417

Can't Find It? Call Us!



**A. Gatorade® 20-oz. Wide Mouth**

Individual, 20 oz. serving in wide mouth plastic bottles for a quick, convenient way to help keep workers hydrated, and restore electrolytes. No mixing required. Easy on/off screw cap helps prevent spills and keep drinks at hand. 20 oz. bottle. 24 bottles per case.

No.	Flavor	Case
QOC 32868	Lemon Lime	
QOC 32488	Riptide Rush™	
QOC 32486	Glacier Freeze®	
QOC 32867	Orange	
QOC 32866	Fruit Punch	
QOC 32482	Fierce® Grape	
QOC 20406	Grape	

**B. Fast Packs**

A great way to offer multiple flavors without mixing. Just add water to the pouch and enjoy. Each pack contains one single serving of electrolytes, energy and great taste. The package doubles as a drinking cup - perfect for on the go. 6 oz. pack. 200 packs per case.

No.	Flavor	Case
SQW 015304OR	Orange	
SQW 015301CH	Cherry	
SQW 015305FP	Fruit Punch	
SQW 015302GR	Grape	
SQW 015303LA	Lemonade	
SQW 015308LL	Lemon Lime	
SQW 015309TC	Tropical Cooler	

**C. Squeeze Freezer Pops**

The great taste and performance of Squwincher, available in a tasty frozen treat. Helps to reduce core body temperature. Squwincher's scientifically developed formulation is absorbed into the body significantly faster than water, allowing the body to replenish the electrolytes and minerals needed for proper hydration. Assorted flavors. 3 oz. pack. 150 packs per case.

SQW 159200201	Case
---------------	------

**D. Liquid Concentrate**

Liquid concentrate can be premixed to keep large crews hydrated in harsh conditions. No stirring required. One bottle yields five gallons of Squwincher. 64 oz. bottle. 6 bottles per case.

No.	Flavor	Case
SQW 030325FP	Fruit Punch	
SQW 030322GR	Grape	
SQW 030324OR	Orange	

**E. Powder Packs**

Handy Squwincher packs are easy to transport to the job site and mix in seconds. 50% less sodium, 50% more potassium. Just add water for a low sodium, high potassium activity drink.

No.	Flavor	Case
<b>23.83 oz. pack</b> Yields 2.5 gallons, 32 packs per case.		
SQW 016046GR	Grape	
SQW 016042FP	Fruit Punch	
SQW 016044AS	Assorted Pack	
SQW 016041OR	Orange	
<b>47.66 oz. pack</b> Yields 5 gallons, 16 packs per case.		
SQW 016404OR	Orange	
SQW 016405FP	Fruit Punch	

**F. Sugar-Free Qwik Stik**

Single serve pouch is designed to be poured directly into 20 oz. bottled water. Sugar free for diabetics or carb conscious consumers. 50 packs per bag. 10 bags (500 packs) per case.

No.	Flavor	Case
SQW 060102FP	Fruit Punch	
SQW 060103LA	Lemonade	
SQW 060101MB	Mixed Berry	
SQW 060100OR	Orange	
SQW 060104PT	Peach Tea	
SQW 060105RB	Raspberry	

Explore More!

page 407 **INSULATED COOLERS**

See page 2 for symbol legend. Call for current pricing.