

A blue-tinted photograph showing a person's hands in work gloves pushing a hand truck. A large cardboard box is secured on the hand truck. The background is a solid blue color.

Storage & Material Handling

Material Handling

Storage

Material Handling Solutions



Smart, Rugged, Trusted.

Transport large, bulky items and hard-to-handle loads with ease. Rubbermaid Commercial Products set a new standard of excellence in heavy-duty platform trucks and carts. They've significantly redesigned and expanded their material handling line with new categories, new products, and new innovations that help you work smarter, faster, and safer. Real-world rugged durability, innovative technology and best-in-class features combine to create long-lasting trucks and carts that carry heavy loads - and make your work easier. Rubbermaid's exclusive Duramold™ technology exceeds the highest performance standards in the industry. Rubbermaid's material handling products are tested and retested to meet rigorous durability standards.



Platform Trucks • Home & Office Carts • Hand Trucks



Molded-in tie down slots allow use of straps or bungees.



Underside view of Duramold™ deck.



Handle folds flat for use as a dolly.



A. Heavy-Duty Platform Trucks

Exclusive Duramold™ decks are formed from a precision engineered resin and metal composite structure that provides maximum load support. Four molded in tie down slots to secure loads with straps or bungees (not incl.). Retainer clips prevent unintended removal of the powder coated steel handle. Four casters (two swivel). Black.

No.	Capacity	Shpg. Wt.	Each
36 x 24 Platform			
◆RCP 4403 BLA	1000 lb.	50 lbs.	
◆RCP 4406 BLA	2000 lb.	63 lbs.	
48 x 24 Platform			
◆RCP 4436 10 BLA	1200 lb.	75 lbs.	
◆RCP 4436 BLA	2000 lb.	63 lbs.	
◆RCP 4441 BLA	2500 lb.	69 lbs.	
60 x 30 Platform			
◆RCP 4466 BLA	2000 lb.	88 lbs.	
◆RCP 4471 BLA	2500 lb.	101 lbs.	

B. Triple® Trolley

Three position handle moves upright for pushing, angles for pulling or folds flat for use as a dolly or for storage. Structural foam platform won't rust, dent or bend. 500 lb. capacity model has ergonomic handle for easier movement and 5 in. dia. casters for extra stability. Nonskid platform is 20 7/8 x 31 3/4 (35 1/2 with handle flat). Four nonmarking casters (two swivel). Black.

No.	Capacity	Shpg. Wt.	Each
Utility Duty (Not shown.)			
RCP 4400 BLA	250 lb.	21 lbs.	
Standard Duty			
RCP 4401 BLA	500 lb.	25 lbs.	



C. Two-Way Convertible Truck

Converts easily from a two wheel, 500 lb. capacity hand truck to a four wheel, 600 lb. capacity platform truck. Features Power Grasp Handle grip with Therasoft Comfort treads. Red enamel finish. Overall: 18w x 51h. Shpg. wt. 38 lbs.

SFC 4086R	Each
-----------	------

FACILITY MAINTENANCE

See page **343**

Start tooling around... a pre-stocked tool kit meets your office maintenance needs.



Explore More!

SAFETY TAPE page 326
Can't Find It? Call Us!



A. Cube Trucks

Durable trucks for waste collection, material transport and laundry handling. Smooth surface for easy cleaning. Black.

No.	Capacity/ Cubic Ft.	Size (L x W x H)	Shpg. Wt.	Each
◆RCP 4608 BLA	300 lb./8	38 x 26 x 28½	36 lbs.	
◆RCP 4612 BLA	400 lb./12	42¾ x 28 x 33	40 lbs.	
◆RCP 4614 BLA	500 lb./14	44½ x 31 x 32½	47 lbs.	
◆RCP 4616 BLA	500 lb./16	43¾ x 31 x 37	51 lbs.	
◆RCP 4619 BLA	600 lb./20	48 x 34½ x 36½	60 lbs.	



A

B. Cube Truck Lids

Domed, hinged lid conceals loads without affecting capacity. Black.

No.	For RCP Model	Shpg. Wt.	Each
◆RCP 4609 BLA	4608	13.5 lbs.	
◆RCP 4613 BLA	4612, 4712	14.3 lbs.	
◆RCP 4615 BLA	4614, 4616, 4716	17.2 lbs.	
◆RCP 4617 BLA	4619	18.8 lbs.	



B

C. Big Wheel™ Utility Cart

Heavy duty structural foam construction hauls up to 300 lbs. Durable, one piece tub construction. Reinforced ribbing provides added impact resistance. Smooth, easy to dump, easy to clean pan. Level capacity 7½ cubic feet. Comfortable, molded, structural foam handle. Steel axle and large 20 x 2 wheels with pneumatic tires. Black. 32¾w x 57½d x 28¼h. Shpg. wt. 45 lbs.

◆RCP 5642 BLA	Each
---------------	------



C

D. Structural Foam Tilt Trucks

Structural foam molding eliminates the need for a metal frame and provides a seamless, leak proof body that won't rust, chip, dent or peel. Ergonomically designed "steering wheel" handle provides excellent handling and maneuvering. Specifically designed for controlled dumping by one person. Inset wheels prevent damage to surroundings. Fits through standard commercial doorways and onto elevators easily.

No.	Capacity	Shpg. Wt.	Each
◆RCP 1011 BLA	600 lb.	92 lbs.	
◆RCP 1013 BLA	1000 lb.	101 lbs.	
½ Cubic Yard	57½d x 26¾sw x 33¾sh		
◆RCP 9T13 BLA	450 lb.	86.9 lbs.	
◆RCP 9T14 BLA	850 lb.	95.9 lbs.	
1 Cubic Yard	70¾d x 33½sw x 42¼h		
◆RCP 9T15 BLA	1250 lb.	139.1 lbs.	
◆RCP 9T16 BLA	2100 lb.	141.1 lbs.	



D



Explore More!

Tilt Trucks

Center hinge lid opens from either end.



A. Rotomolded Tilt Trucks

Specially made to handle bulky, medium to heavy weight materials. Sturdy, plastic construction. Easy to maneuver and dump contents. Wheels and axle are inset to prevent damage to interior surfaces and equipment. USDA & FDA Compliant materials. Black. (Optional lids sold separately.)

No.	Capacity	Size (L x W x H)	Description	Each
½ Cubic Yard*				
◆RCP 1304 BLA*	450 lb.	56¼ x 28 x 38%	Utility Duty	
◆RCP 1305 BLA*	850 lb.	60½ x 28 x 38%	Standard Duty	
◆RCP 1306 BLA*	1400 lb.	60½ x 28 x 38%	Heavy Duty	

1 Cubic Yard

◆RCP 1314 BLA†	850 lb.	72¼ x 33½ x 43¾	Utility Duty	
◆RCP 1315 BLA	1250 lb.	72¼ x 33½ x 43¾	Standard Duty	
◆RCP 1316 BLA*	2100 lb.	72¼ x 33½ x 43¾	Heavy Duty	

* ½ cubic yard tilt trucks do not come with a handle

† Utility duty tilt trucks do not include frame

B. Tilt Truck Lids

Domed, hinged lid conceals loads without reducing capacity. USDA & FDA Compliant materials. Black.

No.	For RCP Model	Each
◆RCP 1307 BLA	1304, 1305, 1306, 9T17	
◆RCP 1317 BLA	1314, 1315, 1316, 9T18	

C. Tilt Trucks

Sturdy, plastic construction. Smooth and seamless, one piece molded truck bodies with reinforced lip are rounded and easy to clean. 4 in. center swivel back caster provides easy maneuvering. Durable, one piece, 10 in. in set wheels offer low maintenance and protect surroundings. USDA & FDA Compliant materials. Powder coated steel frame for corrosion resistance. Black.

No.	Capacity	Size (L x W x H)	Each
½ Cubic Yard			
◆RCP 9T17 BLA*	300 lb.	56¼ x 28 x 38%	
1 Cubic Yard			
◆RCP 9T18 BLA	600 lb.	72¼ x 33½ x 43¾	

* ½ cubic yard tilt truck does not come with a handle

GREEN TIP

The EPA estimates that there are 136 million tons of construction and demolition debris generated in the U.S. annually, or 2.8-lbs./person/day. If your building is undergoing any kind of rehabilitation or construction, keep in mind that there are many government organizations and recycling facilities that will assist you with recycling or reusing excess materials and some kinds of demolition debris. You can be the one that makes these materials available for reuse and keep them out of our landfills and waste streams.

<http://www.epa.gov/epawaste/conservation/rrrr/lmr/cdm/index.htm>



PLATFORM TRUCKS

Duramold™ exclusive engineered resin and metal composite structure provides maximum load support. Structural foam and steel reinforced deck for enhanced durability won't rust, dent, chip or splinter. Molded in tie down slots for load security. Textured deck surface reduces load slippage. Perimeter deck channel retains small items. Two fixed, two swivel heavy duty polyolefin casters for optimal control, maneuverability and long wear life over a variety of surfaces. Easy and quick assembly with common tools. Virtually maintenance free. Black.

A. A-Frame Panel Truck

Steel reinforced frame and side rails hold bulky sheet goods firmly in place during transit. Inclined frame and side rail retainer clips prevent unintended removal. Large surface load area improves productivity. Deck size: 24 in. x 48 in. Overall dimensions: 24w x 51l x 45h. 2000 lb. capacity. Shpg. wt. 73.8 lbs.

RCP 4463 BLA Each

B. Sheet & Panel Truck

Three removable powder coated steel vertical frames provide support for hard to handle loads. Vertical frame retainer clips prevent unintended removal. Deck size: 24 in. x 48 in. Overall dimensions: 24w x 51l x 40h. 2000 lb. capacity. Shpg. wt. 73.8 lbs.

RCP 4468 BLA Each

C. Side Panel Platform Trucks

Ergonomic handle design improves control and worker safety. Side panels easily remove to accommodate oversized loads. Versatile design allows for multiple configurations, one to four panels. End panel cut outs allow for ergonomic access of contents. Steel reinforced deck for enhanced durability. Two fixed, two swivel heavy duty 8 in. casters for optimal control and maneuverability. Easy and quick assembly with common tools. Deck size: 24 in. x 48 in. Overall dimensions: 24w x 55½l x 41h. Shpg. wt. 73.7 lbs.

No.	Casters	Capacity	Each
RCP 4485 BLA	Pneumatic	1200 lb.	
RCP 4486 BLA	Thermo Plastic Rubber	1200 lb.	

D. TradeMaster® Five-Drawer Mobile Workcenter

Heavy duty worksurface supports up to 250 lbs. Five storage drawers for tools, supplies and more. Tabletop bins keep small parts within reach. Peg board side panels provide convenient tool organization. Built in cord wrap allows neat storage of power tools or work lights. Locking bar. Polypropylene. Four swivel casters (two locking). Black/Red. 32¾w x 19¼d x 33½h. Shpg. wt. 69 lbs.

◆RCP 7734 BLA Each

E. Trades Cart with Locking Cabinet

Fully enclosed, lockable storage compartment keeps costly tools and sensitive materials secure. Perfect for facility maintenance work. Structural foam construction. Ergonomic top surface provides a handy work area for items weighing up to 180 lbs. Two shelves. Bottom shelf holds up to 150 lbs. Total cart capacity is 450 lbs. (including drawers). Four removable parts boxes for assorted parts and hardware. Two storage drawers hold supplies. Molded in, wraparound handle features storage bin for small tools and parts. Mounting bracket serves as cord wrap or holds wastebasket. Four 5 in. nonmarking swivel casters (two locking). Black/Red. 38w x 19¼d x 33½h. Shpg. wt. 68 lbs.

◆RCP 6180 88 BLA Each



A



B



C



D

Locking bar provides security and holds drawers in place.



Converts to a platform truck.

1000 L.B. CAPACITY



F

Converts to a two-shelf utility cart.

F. Convertible Platform Truck

Duramold™ precision engineered resin composite structure for durability and long life. Textured deck surface reduces load slippage. Molded in tie down slots for load security. Perimeter deck channel retains small items. Retainer clips prevent unintended handle removal. Convertible design quickly transforms the bulk load capacity of a standard platform truck to a heavy duty two shelf utility cart with push button release latch. Three product configurations in one: 24 x 52 Platform or U boat Truck (1000 lb. capacity); 24 x 44 heavy duty two shelf Utility Cart (750 lb. capacity). Powder coated steel handle/frame for long service life. Four swivel casters, two fixed casters. 1000 lb. maximum load capacity. 61½w x 25¼d x 42h. Shpg. wt. 106 lbs.

◆RCP 4496 BLA Each

Explore More!
pages 343 345 **TOOLS**

See page 2 for symbol legend. Call for current pricing.

Utility Carts • Service Carts



Front "hook" holds extension cord or soft wastebasket. Handle bin stores small parts and tools.



A. Heavy-Duty Utility Carts

Transport materials, supplies and heavy loads in almost any environment. Variable grip height handle improves control and worker safety. Deep pocket lipped shelves keep contents in place. Four nonmarking casters, unless noted otherwise.

No.	Color	Size (W x D x H)	Max. Cap.	Each
RCP 4500 88 BEI	Beige	39 x 17 $\frac{1}{8}$ x 33 $\frac{1}{4}$	500 lbs.	
RCP 4500 88 BLA	Black	39 x 17 $\frac{1}{8}$ x 33 $\frac{1}{4}$	500 lbs.	
RCP 4520 88 BEI	Beige	45 $\frac{1}{4}$ x 25 $\frac{1}{8}$ x 33 $\frac{1}{4}$	500 lbs.	
RCP 4520 88 BLA	Black	45 $\frac{1}{4}$ x 25 $\frac{1}{8}$ x 33 $\frac{1}{4}$	500 lbs.	
RCP 4520 10 BLA*	Black	44 x 25 $\frac{1}{4}$ x 37 $\frac{1}{8}$	500 lbs.	
RCP 4546 BLA	Black	54 x 25 $\frac{1}{4}$ x 33 $\frac{1}{4}$	750 lbs.	
RCP 4546 10 BLA*	Black	54 x 25 $\frac{1}{4}$ x 33 $\frac{1}{4}$	750 lbs.	

* Includes pneumatic casters

B. Heavy-Duty Flat-Shelf Utility Carts

Transport materials, supplies and heavy loads in almost any environment. Variable grip height handle improves control and worker safety. Four nonmarking casters.

No.	Color	Size (W x D x H)	Max. Cap.	Each
RCP 4505 BEI	Beige	37 $\frac{1}{8}$ x 19 $\frac{1}{8}$ x 33 $\frac{1}{4}$	500 lbs.	
RCP 4505 BLA	Black	37 $\frac{1}{8}$ x 19 $\frac{1}{8}$ x 33 $\frac{1}{4}$	500 lbs.	
RCP 4525 BEI	Beige	43 $\frac{1}{8}$ x 25 $\frac{1}{8}$ x 33 $\frac{1}{4}$	500 lbs.	
RCP 4525 BLA	Black	43 $\frac{1}{8}$ x 25 $\frac{1}{8}$ x 33 $\frac{1}{4}$	500 lbs.	
RCP 4545 BLA	Black	54 x 25 $\frac{1}{4}$ x 36	750 lbs.	

C. Service/Utility Carts

Structural foam construction. Two tray style shelves securely hold contents. Molded in handle with convenient storage compartments. Four nonmarking, swivel casters. Easy assembly. 300 lb. maximum load capacity. Black. 31 $\frac{1}{4}$ in. high.

No.	Size (W x D)	Each
RCP 9T66 BLA	34 x 16	
RCP 9T67 BLA	40 x 24	

D. Xtra™ Instrument Cart

For use in hospitals, health care centers, labs and hotels/motels. For transporting instruments and supplies. Three smooth, easy to clean shelves, sliding top drawer and two molded handles. Enclosed bottom shelf has locking doors to secure contents. 300 lb. maximum load capacity; 100 lbs. per shelf. Easy "pound together" assembly. Four nonmarking casters. Gray. 40 $\frac{1}{2}$ w x 20d x 37 $\frac{1}{8}$ h.

RCP 4094 GRA	Each
--------------	------

E. Xtra™ Equipment Cart

300 lb. total load capacity; 100 lbs. per shelf. Sized to carry large loads. Rounded corners won't damage walls. Upscale appearance ideal for institutional, warehouse or front office use. Lockable enclosed shelf. Large textured shelves hold a variety of equipment and supplies. Durable, structural web construction resists scratches, chips and rust. Lightweight and easy to handle. Comfortable, rounded handles have molded in storage bins for small items. Quiet, nonmarking casters. Black. 40 $\frac{1}{2}$ w x 20 $\frac{1}{4}$ d x 37 $\frac{1}{8}$ h.

RCP 4095 BLA	Each
--------------	------

000 Weight Capacity
The maximum weight that this product can accommodate.



A. Executive Service Cart

Highly aesthetic design for front and back of house applications. Extra large top shelf fits two 4½ gallon bus boxes (sold separately). 20% more top shelf capacity than standard service carts. Shelves feature raised edges and sturdy side panels to keep contents secure. Thick shelves provide added strength; 300 lb. weight load capacity. Two rounded ergonomic handles for comfort. Solid base bumper protects walls and furniture. Durable, easy to clean recyclable polyethylene construction. Heavy duty, nonmarking 4 in. casters. Black. 21w x 29d x 38h.

RCP 9T68 BLA	Each
--------------	------

Service Carts

Sized to carry large loads and reduce return trips. Rounded corners won't damage walls. Upscale appearance is ideal for institutional, warehouse or front office use. Large textured shelves hold a variety of equipment and supplies. Durable, structural web construction resists scratches, chips and rust. Lightweight and easy to handle with quiet, nonmarking casters. Comfortable, rounded handles.

No.	Color	Shpg. Wt.	Each
B. 3 Shelf Utility Cart, Open All Sides 300 lb. total load capacity (100 lbs. per shelf). 40½w x 20d x 37¼h.			
RCP 4091 CRE	Off White	46 lbs.	
RCP 4091 BLA	Black	46 lbs.	
C. 4 Shelf Utility Cart, Open All Sides 300 lb. total load capacity (75 lbs. per shelf). 40½w x 20d x 51h.			
RCP 4096 BLA	Black	52 lbs.	
D. 3 Shelf Utility Cart, Enclosed On 3 Sides 300 lb. total load capacity (100 lbs. per shelf). 40½w x 20d x 37¼h.			
RCP 4093 CRE	Off White	51 lbs.	
RCP 4093 BLA	Black	51 lbs.	

THREE-SHELF UTILITY/SERVICE CARTS

- Quiet operation
- Dual molded handles; nonmarking swivel casters
- Easy to clean smooth surfaces

E. Three-Shelf Utility Cart with Brushed Aluminum Uprights

Ideal for offices or foodservice. 200 lb. total load capacity. Shelves have slight lip on three sides; one flat side for easy loading. 4 in. diameter casters. Assembles easily in minutes. 18½w x 33½d x 37¼h. Shpg. wt. 30 lbs.

No.	Color	Each
RCP 3424 88 BLA	Black	
RCP 3424 88 PLA	Platinum	

F. Three-Shelf Service Cart with Brushed Aluminum Uprights

Ideal for office use. 100 lb. total load capacity. Shelves have one flat side for easy loading; lip on three sides. 3 in. diameter swivel casters. Easy to assemble. Beige. 16½w x 31½d x 36h. Shpg. wt. 21.2 lbs.

RCP 9T65 71 BEI	Each
-----------------	------

G. Three-Shelf Utility Cart with Enclosed End Panels

Structural foam construction for durability. Ideal for offices or foodservice. Flat shelves. Enclosed on two sides. 300 lb. total load capacity. 4 in. diameter casters. Platinum. 18w x 31d x 37¼h. Shpg. wt. 38.6 lbs.

RCP 3355 88 PLA	Each
-----------------	------

Service Carts • Utility Carts



300 LB CAPACITY



300 LB CAPACITY

Refuse Bin H.
(RCP 3353-88 BLA)
and Utility Bin I.
(RCP 3354-88 BLA)
each sold separately.



300 LB CAPACITY



300 LB CAPACITY



200 LB CAPACITY



100 LB CAPACITY



300 LB CAPACITY

SERVICE CART ACCESSORIES

Handy bins convert utility carts to busing systems. Top rim has a lip which rests on cart beneath the handle. For RCP 3355 88, RCP 3424 88, RCP 4091, RCP 4093, RCP 4094, RCP 4095 and RCP 4096 Utility Carts.

H. Refuse Bin

8 gallon capacity. Black. 17w x 12d x 22h.

RCP 3353 88 BLA	Each
-----------------	------

I. Utility Bin

4 gallon capacity. Black. 17w x 12½d x 10½h.

RCP 3354 88 BLA	Each
-----------------	------

Shelving • Storage Boxes • Outdoor Storage



Adjustable shelves—
includes posts and clips.



tennisco
Systems of Success

A. 75" High Commercial Metal Shelving

350 lb. capacity per shelf (based on 36 x 18 shelf evenly distributed). Includes five 36w x 18d shelves, plus posts and shelf clips. Shelves adjust in 1 in. increments with compression clips. Medium Gray. Shpg. wt. 61 lbs.

TNS 109694

Each

Rubbermaid

B. Roughtote® Clear Storage Box

Durable polypropylene boxes keep contents contained, dry and dust free. Shatter resistant down to 0°F. Built in handles for easy lifting and carrying. Clear polypropylene with white lid. 3 gallon capacity.

RHP 3Q24 CLE

Each

C. Roughneck® Storage Boxes

Rugged storage boxes are shatter resistant. Sturdy, built in handles for easy carrying. Snap on, stay tight lids help keep contents dry and dust free. Stackable for easy, space saving storage. Steel color. Manufacturer's lifetime warranty.

No.	Capacity	Each
RHP 2214TP STE	10 gal.	
RHP 2212CP STE	14 gal.	
RHP 2215CP STE	18 gal.	

OUTDOOR STORAGE SHEDS

- All structures are freestanding and weather resistant
- Interlocking double wall blow molded panels for strength and durability
- Tough, durable floor included
- Easily assembles in less than 30 minutes
- Sheds have hasp for a padlock (not incl.)

D. Large Vertical

Eight interlocking panels. Molded in grooves for three shelves (not incl.). Molded in anchor grooves provide the option of attaching to another structure or anchoring into the ground. Sandstone/Olive. 52 cu. ft. capacity. 52w x 32d x 77h. Shpg. wt. 130 lbs.

◆RHP 3746

Each

E. Large Horizontal

Six interlocking panels. Molded in grooves for one shelf (not incl.). Molded in anchor grooves provide the option of attaching to another structure or anchoring into the ground. Lid prop bar included. Sandstone/Olive. 32 cu. ft. capacity. 56½w x 32d x 48h. Shpg. wt. 92.81 lbs.

◆RHP 3747

Each

F. Horizontal

Seven interlocking panels. Molded in grooves hold one shelf (not incl.). Lid prop bar included. Sandstone/Olive. 18 cu. ft. capacity. 55w x 28d x 36h. Shpg. wt. 52 lbs.

◆RHP 3748

Each

Product Type

Benefit Feature

Cube Trucks

Use these durable and versatile trucks for a variety of bulky, load-carrying tasks including waste collection, material transport and laundry. Available in four capacities. *(Find these on page 355.)*



Tilt Trucks

This truck maximizes maneuverability. The design matches the name: these trucks make it easy to dump contents. Ideal for handling bulky materials and loads that are medium to heavyweight. Wheels and the overall profile help protect surroundings. Consider your need for the lid option. *(Find these on pages 355-356.)*



Platform Trucks

Accommodate loads of varying shapes and sizes aboard a high-capacity platform truck. Depending on what you're moving, you'll want to look at support—more when you're loading multiple, hard-to-balance items, less when loads are more well-balanced. Some platform trucks offer work-height surfaces. *(Find these on pages 354, 357.)*



Hand Trucks

Carry a surprisingly heavy load with ease and agility with a two-wheeled hand truck. Buy a model that's dedicated to this role, or combine functionality with a convertible truck that switches from a two-wheeled configuration to a four-wheeled platform. *(Find these on page 354.)*



Convertible Trucks

Change configurations to use one truck in multiple applications. Some versions combine removable shelving with a more open platform truck option. Others provide support alternatives that adjust to the loads you're transporting. *(Find these on pages 354, 357.)*

